PAGE #: OF MATERIAL SAFETY DATA SHEET 3 PRODUCT NAME: BRITZ B-85 PRODUCT CODE: MSDS NUMBER: MSDS DATE: 08/15/2006 **KEY NUMBER:** EMERGENCY PHONE #'s: CHEMTREC 800-424-9300 **HEALTH** 1 **Slightly Hazardous** Britz Fertilizers Inc. 2 **FIRE** Flash Point: Above 200°F, 93°C P. O. Box 366 Five Points. CA 93245 0 REACTIVITY Stable Prepared by Tm Brown **SPECIFIC** 1. IDENTIFICATION See Addendum: Ref. PAGE: Chemical Name: NA Chemical Family: Alkyl Aryl Polyoxyetnlene Glycols and Isopropyl Alcohol CAS #: NA Chemical Formula: Formulated Mixture CAS Name: NA Molecular Weight: NA Synonyms / Common Name: Spray adjuvant **DOT Information:** Not regulated by the DOT. ☐ See Addendum: 2. PHYSICAL DATA Ref. PAGE: Melting Point: 0 F Appearance: Color: Colorless, slight straw color **Boiling Point: NA** State: Liquid Flash Point: 115 F Odor Characteristics: Mild Alcohol Odor Freezing Point: NA pH: NA Percent Volatility: NA Viscosity: NA Evaporation Rate (BAc = 1): NA Specific Gravity (Water = 1): 1.05 @ 68 F Solubility in Water: Complete Vapor Density (Air = 1): >1 Solubility in Oil: NA Vapor Pressure: 33 @ 60 F Solubility in Acetone: NA ☐ See Addendum: 3. INGREDIENTS Ref. PAGE: Material / Components CAS #: **CAS Name TLV Units** Approx. % 80 % Alkylphenol Ethoxylate 9016-45-9 Isopropyl Alcohol 67-63-0 400 ppm 5 % Inerts 15 % 4. FIRE AND EXPLOSION HAZARD DATA Ref. PAGE: ☐ See Addendum: Flammable Limits Lower Flash Point: 115 F 2.0% in Air % by volume: Upper 12.0% Extinguishing Media: \Water fog, dry chemical, Alcohol Foam, and carbon dioxide extinguishing media. Special Fire Fighting Wear positive pressure self-contained breathing apparatus and full protective clothing. Avoid getting water from fire fighting into **Procedures:** domestic or irrigation water supplies.

Unusual Fire & Containers may rupture violently if overheated. After fire is controlled, do not handle containers until they returned to ambient

Explosion Hazards: temperatures. Do not spray a solid stream of water or foam into hot burning liquid, as this may cause frothing.

Britz Fertilizers Inc.

P. O. Box 366

Five Points, CA 93245

Prepared by Tm Brown

MATERIAL SAFETY DATA SHEET PAGE #:

PAGE #:

OF

3

PRODUCT NAME: BRITZ B-85

MSDS NUMBER:

MSDS DATE: 08/15/2006

PRODUCT CODE: KEY NUMBER:

☐ See Addendum:

5.	Ц		-	Λ	7 A	•		м	7
ю.	п	- A		А	$\boldsymbol{\mu}$	1	₽,	/Α¥	11/2

Threshold Limit Value:

Effects of Overexposure:

Inhalation: Vapor or mist can irritate nose, throat and chest, and cause coughing, drowsiness, slurred speed, nausea, dizziness,

stupor, and unconsciousness.

Skin Contact: Brief contact with this material should not produce harmful effects, but prolonged contact, as from clothing wet with

the material, may cause irritation.

Eye Contact: May cause severe irritation with possible corneal damage.

Ingestion: May cause nausea, abdominal discomfort, vomiting and diarrhea.

Delayed Effects: None known

Medical Conditions None known

Aggravated by Exposure

6. FIRST AID MEASURES

☐ See Addendum: PAGE #:

Inhalation: Move to fresh air. If breathing becomes difficult, consult a physician.

Skin Contact: Remove contaminated clothing. Wash skin thoroughly with soap and water. If irritation develops, consult a physician.

Eye Contact: Flush eyes with water for 15 minutes, holding eyelids open. If irritation develops, consult a physician.

Ingestion: If swallowed, dilute by giving two glasses of water to drink. DO NOT induce vomiting. Never give anything by mouth to

an unconscious person. Obtain medical attention immediately.

NOTES TO PHYSICIAN: In the event of an adverse response, treatment should be directed toward control of the symptoms.

7. REACTIVITY DATA

□ See Addendum:

PAGE #:

Stability: Stable.

Incompatibility: Do not allow contact with strong oxidizing and reducing agents.

(materials to avoid)

Hazardous Combustion or Decomposition Products Product may produce carbon dioxide and or carbon monoxide under fire conditions.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: None currently known.

8. SPILL OR LEAK PROCEDURES

☐ See Addendum:

PAGE #:

Actions to take for Leaks & Spills Eliminate ignition sources. Dike and contain. If uncontaminated, reuse product. If contaminated, absorb spill with clay, sand, or sawdust. Place in a chemical waste container for proper disposal. Spill area will be quite slippery.

Waste Disposal Method: This material must be disposed of according to federal, state, and local procedures under the resource conservation

and recovery act.

MATERIAL SAFETY DATA SHEET PAGE #: 3 OF 3 Britz Fertilizers Inc. PRODUCT NAME: BRITZ B-85 P. O. Box 366 MSDS NUMBER: MSDS DATE: 08/15/2006 Five Points, CA 93245 PRODUCT CODE: Prepared by Tm Brown **KEY NUMBER:** ☐ See Addendum: 9. SPECIAL PROTECTION INFORMATION Ref. PAGE: Resporatory Protection: Wear suitable respirator where explosure limits are exceeded. Eye Protection: Splash proof goggles. Skin Protection: Impervious gloves. Other Clothing: Coveralls or apron (P/E, PVC, or Vinyl). Rubber or PVC boots. Other Equipment: Eye wash station should be nearby. Engineering Controls: Use with adequate ventilation. 10. HANDLING AND STORAGE ☐ See Addendum: Ref. PAGE: Special Precautions: Keep out of reach of children. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies, lakes, streams, or ponds. Other Precautions: None currently known. 11. REGULATORY INFORMATION □ See Addendum: Ref. PAGE: Workplace Classification: Caution 12. TOXICOLOGICAL INFORMATION ☐ See Addendum: Ref. PAGE: Acute Data: Not established Reproductive / Not established **Teratology Data** 13. ECOLOGICAL INFORMATION ☐ See Addendum: Ref. PAGE: Fate in the Environment: Not established 14. DISPOSAL CONDITIONS □ See Addendum: Ref. PAGE: Procedures: Dispose of unrecoverable material in accordance with Federal, State and Local reglations

☐ See Addendum:

Ref. PAGE:

15. TRANSPORTATION INFORMATION

Warning Labels: NA

DOT Classification: Not regulated by DOT.

Britz Fertilizers Inc.	PRODUCT NAME:
P. O. Box 366	MSDS NUMBER:
Five Points, CA 93245	MSDS DATE:
Prepared by Tm Brown	PRODUCT CODE:
	KEY NUMBER:
ADDENDUM for Section -	
ADDENDUM for Section -	
ADDENDUM for Section -	

MATERIAL SAFETY DATA SHEET PAGE #:

4 OF