#### MATERIAL SAFETY DATA SHEET

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

#### CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### **FORMULATED FOR:**

LOVELAND PRODUCTS. INC. 24-Hour Emergency Phone: 1-800-424-9300

P.O. Box 1286 • Greeley, CO 80632-1286 Medical Emergencies: 1-800-301-7976

U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME: SPRAY OIL 415

**CHEMICAL NAME:** Solvent-refined light and heavy paraffinic distillates

**CHEMICAL FAMILY:** Petroleum Oil 34704-727 **EPA REG. NO.:** 

MSDS Number: 000727-07-LPI MSDS Revisions: Sections 1, 2, and 16 Date of Issue: 08/20/07 Supersedes: 07/17/04

#### HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN - CAUTION - Harmful if swallowed or inhaled. Wash thoroughly with soap and water after handling. Avoid breathing spray mist. Remove contaminated clothing and wash thoroughly before reuse.

This product is a colorless, oily liquid with no noticeable odor. Primary routes of entry are Inhalation, eye contact and skin contact.

Warning Statement:

NOTE TO PHYSICIAN: Contains petroleum distillates, vomiting may cause aspiration pneumonia.

#### COMPOSITION. INFORMATION ON INGREDIENTS

Chemical Ingredients:	Percentage by Weight:	CAS No.	TLV (Units)
Light and Heavy Paraffinic Distillates Inert ingredients	98.00 2.00	64741-89-5, 64741-88-9, 64742-56-9, and 64742-65-0	5 mg/m <sup>3</sup>

#### **FIRST AID MEASURES**

If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce

vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If in eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by If inhaled:

mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center If on skin or clothing:

or doctor for treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-301-7976. Have the product label or container with you when calling a poison control center or doctor, or going for treatment.

# **FIRE FIGHTING MEASURES**

5.

335°F/168.4°C (TCC) FLASH POINT (°F/Test Method): FLAMMABLE LIMITS (LFL & UFL): Not established

**EXTINGUISHING MEDIA:** May be combustible at high temperature, use medium appropriate to surrounding fire. Dry chemical,

carbon dioxide, foam, water spray or fog. HAZARDOUS COMBUSTION PRODUCTS:

May include but are not limited to oxides of carbon, and/or other asphyxiants. SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to cool containers exposed to fire. Remain upwind. Wear self-contained breathing

apparatus and full protective gear.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** If water is used to fight fire or cool containers, contain runoff, using dikes to prevent contamination of

water supplies.

#### **ACCIDENTAL RELEASE MEASURES** 6.

#### STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Contain the spill (wear the proper PPE) by absorbing spilled liquid with clay or other absorbent material; scoop or sweep up material and place in container. Decontaminate area by washing with soapy water solution and absorbing the water with absorbent material. Check local, state and federal regulations for proper disposal.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

#### HANDLING AND STORAGE

HANDLING: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if

pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product.

Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess STORAGE:

heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Do not contaminate water, food or feed by storage or disposal.

### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

**ENGINEERING CONTROLS:** When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the

Worker Protection Standard (WPS) for agricultural pesticides [40CFR 170.240 (d)(4-6)], the handler PPE

requirements may be reduced or modified as specified in the WPS.

**RESPIRATORY PROTECTION:** Not normally required, if vapors or mists exceed acceptable levels, wear a NIOSH approved respirator for oils and

mists.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, shoes plus socks. Wear chemical-resistant gloves.

> **OSHA PEL 8 hr TWA ACGIH TLV-TWA**

Oil Mist 5 mg/m<sup>3</sup> 5 mg/m<sup>3</sup>

Personal Protective Equipment: Applicators and other handlers must wear: long sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene or Viton®, and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Colorless oily liquid with no noticeable odor

**SOLUBILITY:** Emulsifies BULK DENSITY: 7.09 lbs/gallon SPECIFIC GRAVITY (Water = 1): 0.85 g/ml pH: Not established

VAPOR PRESSURE: <0.00001 mm Hg **BOILING POINT:** >200°F/93.4°C

PERCENT VOLATILE (by volume): Not established EVAPORATION RATE (Butyl Acetate = 1): Less than Butyl Acetate

These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

#### 10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Excessive heat. STABILITY: Stable

INCOMPATIBILITY: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion may lead to formation of oxides of carbon and/or other asphyxiants.

HAZARDOUS POLYMERIZATION: Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

Acute Oral LD<sub>50</sub> (rat): >5000 mg/kg Acute Dermal LD<sub>50</sub> (rabbit): >2000 mg/kg Eye Irritation (rabbit): May cause irritation to eyes Skin Irritation (rabbit): Not established

Acute Inhalation LC<sub>50</sub> (rat): Not established. Skin Sensitization (guinea pig): Skin sensitizer in certain individuals

Carcinogenic Potential: None listed in OSHA, NTP, IARC or ACGIH

#### 12. ECOLOGICAL INFORMATION

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or into inter-tidal areas below the mean high water mark. Do not contaminate water supplies when disposing of equipment wash waters. Apply this product only as specified on the product labeling.

## 13. DISPOSAL CONSIDERATIONS

Do not reuse container. Metal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers. Plastic: Triple rinse (or equivalent), then offer for recycling at an ACRC site (go to http://www.acrecycle.org/ for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### TRANSPORT INFORMATION

DOT Shipping Description: NOT REGULATED BY USDOT.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610, CLASS 60)

# REGULATORY INFORMATION

**NFPA HMIS** NFPA & HMIS Hazard Ratings:

> Health 0 Health 1 Least Flammability Slight 1 Flammability Instability 2 Moderate 0 Reactivity F PPE

3 High

Severe

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Fire Sudden Release of Pressure \_\_N\_\_ Delayed Reactive

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed CA Proposition 65: Not listed

16. OTHER INFORMATION

MSDS STATUS: Sections 1, 2, and 16 revised

PREPARED BY: Registrations and Regulatory Affairs **REVIEWED BY:** Environmental/ Regulatory Services

®Viton is a registered trademark of DUPONT DOW ELASTOMERS L.L.C.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, Inc. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.