Material Safety Data Sheet				
DuPont [™] Krovar [®] I D	F Herbicide			
Version 2.2				
Revision Date 03/17/2011	te 03/17/2011 Ref. 130000023993			
This SDS adheres to the stand requirements in other countries	ards and regulatory requirements of the United States and may not meet the regulatory 3.			
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION			
Product name Tradename/Synonym	 DuPont[™] Krovar[®] I DF Herbicide DPX-M2574 B10048033 BROMACIL (5-Bromo-3-sec-butyl-6-methyluracil) DIURON [3-(3,4-Dichlorophenyl)-1,1-dimethylurea] 			
MSDS Number	: 13000023993			
Product Use	: Herbicide			
Manufacturer	: DuPont 1007 Market Street Wilmington, DE 19898			
Product Information Medical Emergency Transport Emergency	lical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)			
SECTION 2. HAZARDS IDEN	ΤΙΕΙΟΑΤΙΟΝ			
Emergency Overview Caution	absorbed through the skin . Causes moderate eye irritation. Avoid contact with skin,			
Potential Health Effects This section includes po the label.	otential acute adverse effects which could occur if this material is not used according to			
Skin	: May cause: slight irritation, Discomfort.			
Eyes	: May cause: Irritation with discomfort, pain, redness, or visual impairment.			
Ingestion				
	1 / 11			



sion 2.2				
ision Date 03/17/2011	R	ef. 130000023993	3	
Diuron	which could			blood cells (anaemia) lizziness, pale skin, leg
Repeated exposure Diuron	: Adverse eff altered bloc	ects from repeate	ed exposure may inc	ude: Bladder damage
Target Organs Diuron	: Blood Urin	ary system Blado	der	
Carcinogenicity Material	IARC	NTP	OSHA	
Quartz	1	Х		
Component Bromacil			CAS-No. 314-40-9	Concentration 40 %
Diomacii			314-40-9	40 %
Diuron			330-54-1	40 %
Other Ingredients				20 %
	us clay component of	this product:		
Present as an impurity in th Quartz	ie clay component of	this product:		<1 %
Present as an impurity in th	ne clay component of	this product:		<1 %
Present as an impurity in th		this product:		<1 %



DuPont[™] Krovar[®] I DF Herbicide

Version 2.2

Revision Date 03/17/2011	Ref. 13000023993
Skin contact	: Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye contact	: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Inhalation	: Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
Ingestion	: Call a physician or poison control centre immediately. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.
General advice	 Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-800-441-3637. See Label for Additional Precautions and Directions for Use.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable Properties Flash point	: no data available
Ignition temperature	: 420 °C (788 °F)
Lower explosion limit	: 0.135 g/l
Fire and Explosion Hazard	: Dust may form explosive mixture in air.
Suitable extinguishing media	: Water spray, Foam, Dry chemical, Carbon dioxide (CO2)
Unsuitable extinguishing media	: High volume water jet, (contamination risk)



ersion 2.2	
evision Date 03/17/2011	Ref. 13000023993
Firefighting Instructions	 In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray. Control Runoff.
	EASE MEASURES ING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clear NAL PROTECTIVE EQUIPMENT during clean-up.
Spill Cleanup	 Shovel or sweep up. Scoop into bags or boxes with plastic or aluminium shovel. Never return to container for reuse. If spill area is on ground near valuable plants or trees, remove top 2 inches of soil after initial cleanup.
Accidental Release Measure	 Prevent material from entering sewers, waterways, or low areas. Follow applicable Federal, State/Provincial and Local laws/regulations.
ECTION 7. HANDLING AND S	TORAGE
Handling (Personnel)	: Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash the outside of gloves before removing. Wash thoroughly and put on clean clothing.
Storage	: Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Store in a cool, dry place. Keep out of the reach of children.
	4 / 11

Material Safety Data Shee	t	QU PONT.
DuPont [™] Krovar [®] I DF I	Herbicide	e
Version 2.2		
Revision Date 03/17/2011		Ref. 13000023993
SECTION 8. EXPOSURE CONTR	OLS/PERSO	ONAL PROTECTION
Engineering controls	: Ensure a cabs, or Protectic 6)], the f	adequate ventilation. When handlers use closed systems, enclosed r aircraft in a manner that meets the requirements listed in the Worker ion Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4- handler PPE requirements may be reduced or modified as specified in S. Refer to the product label for additional Engineering Controls.
Personal protective equipment Skin and body protection	: Pilots, fla Long sle Shoes p Groundb Chemica Mixers, I Long sle Shoes p Chemica A NIOSH or with a	laggers and groundboom applicators must wear: eeved shirt and long pants plus socks lboom applicators must wear: cal resistant gloves made of any waterproof material loaders, applicators and other handlers must wear: eeved shirt and long pants plus socks cal resistant gloves made of any waterproof material 6H approved dust/mist filtering respirator with any N, R, P, or HE filter approval number prefix TC-21C. cal-resistant apron when cleaning equipment, mixing or loading
Protective measures	instructio	manufacturer's instructions for cleaning/maintaining PPE. If no such ions for washables exist, use detergent and hot water. Keep and PE separately from other laundry.
Exposure Guidelines Exposure Limit Values Bromacil PEL:	(OSHA)	1 ppm10 mg/m3 8 hr. TWA
TLV	(ACGIH)	10 mg/m3 TWA
AEL *	(DUPONT)	10 mg/m3 8 & 12 hr. TWA
Diuron TLV	(ACGIH)	10 mg/m3 TWA
AEL *	(DUPONT)	1 mg/m3 8 & 12 hr. TWA Total dust.
		5/11

Material Safety Data She	et III	
DuPont [™] Krovar [®] I DF	- Herbicide	
Version 2.2		
Revision Date 03/17/2011	Ref. 13000023993	
	able Exposure Limit. Where governmentally imposed occupational exposure lim e in effect, such limits shall take precedence.	its which
SECTION 9. PHYSICAL AND C	HEMICAL PROPERTIES	
Form Color Odor Water solubility	 solid, granules brown none dispersible 	
SECTION 10. STABILITY AND	REACTIVITY	
Stability	: Stable at normal temperatures and storage conditions.	
Incompatibility	: None reasonably foreseeable.	
Hazardous reactions	: Hazardous polymerisation does not occur.	
SECTION 11. TOXICOLOGICA	LINFORMATION	
DuPont [™] Krovar [®] I DF Herk Inhalation 4 h LC50		
Dermal LD50	: > 2,000 mg/kg , rabbit	
Oral LD50	: 2,300 mg/kg , rat	
Skin irritation	: slight irritation, rabbit	
Eye irritation	: Moderate eye irritation, rabbit	
Sensitisation	: Animal test did not cause sensitization by skin contact., guinea p	ig
Bromacil Repeated dose tox	icity : The following effects occurred at levels of exposure that significa exceed those expected under labeled usage conditions. 6 / 11	intly



DuPont ^{<i>n</i>} Version 2.2 Revision Da	[™] Krovar [®] I DF Herl	bicide
Revision Da		
	te 03/1//2011	Ref. 13000023993
		Oral rat Liver effects, Organ weight changes, Thyroid effects, Reduced body weight gain
		Inhalation rat Increased liver weight, altered blood chemistry
	Carcinogenicity	: The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
		An increased incidence of tumours was observed in laboratory animals.
	Mutagenicity	 Did not cause genetic damage in cultured bacterial cells. Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others. Did not cause genetic damage in animals.
	Reproductive toxicity	: Animal testing showed no reproductive toxicity.
	Teratogenicity	: Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.
Diuron	Repeated dose toxicity	: The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
		Oral rat Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia), Spleen effects, bone marrow changes, Kidney effects, Bladder effects, Reduced body weight gain
		Oral dog Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia), Spleen effects, bone marrow changes, Reduced body weight gain
		7/11



DuPont [™]	" Krovar [®] I DF Herl	bicio	de
Version 2.2			
Revision Dat	te 03/17/2011		Ref. 13000023993
	Carcinogenicity Mutagenicity	:	Inhalation rat Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia), Spleen effects The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions. An increased incidence of tumours was observed in laboratory animals. Overall weight of evidence indicates that the substance is not
			mutagenic.
	Reproductive toxicity Teratogenicity	:	Animal testing did not show any effects on fertility. Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.
Quartz	Repeated dose toxicity	:	Inhalation Fluid retention in lungs (pulmonary oedema), lung effects, Inflammation, Chronic lung disease, Fibrosis
SECTION 12	2. ECOLOGICAL INFORM		N
Aquatic Bromacil	Toxicity		
	96 h LC50	:	Lepomis macrochirus (Bluegill sunfish) 127 mg/l
	96 h LC50	:	Oncorhynchus mykiss (rainbow trout) 36 mg/l
	72 h ErC50	:	Pseudokirchneriella subcapitata (green algae) 0.017 mg/l
	NOEC	:	Algae 0.001 mg/l
	48 h EC50	:	Daphnia magna (Water flea) 119 mg/l
Diuron	96 h LC50	:	Oncorhynchus mykiss (rainbow trout) 14.7 mg/l
			8 / 11
			8 / 11

Material Safety Data Sheet DuPont[™] Krovar[®] I DF Herbicide Version 2.2 Revision Date 03/17/2011 Ref. 13000023993 72 h EC50 : Algae 0.018 mg/l 72 h NOEC Algae 0.01 mg/l 48 h EC50 Daphnia magna (Water flea) 1.4 mg/l : Environmental Hazards: For Terrestrial Uses: Do not apply directly to Additional ecological information : water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. See product label for additional application instructions relating to environmental precautions. SECTION 13. DISPOSAL CONSIDERATIONS Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. **Container Disposal** : Refer to the product label for instructions. In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night. **SECTION 14. TRANSPORT INFORMATION** IATA C UN number : 3077 Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Diuron, Bromacil) : 9 Class : 111 Packing group Labelling No. : 9MI IMDG **UN** number : 3077 Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Diuron, Bromacil) : 9 Class : 111 Packing group 9/11



DuPont[™] Krovar[®] I DF Herbicide

Version 2.2

Revision Date 03/17/2011

Ref. 130000023993

Labelling No.

Marine pollutant

: 9

: yes (Diuron, Bromacil)

Not regulated by DOT in single packages containing less than 100 pounds.

SECTION 15. REGULATORY INFORMATION

SARA 313 Regulated Chemical(s)	: Bromacil , Diuron
Title III hazard classification	: Acute Health Hazard: Yes Chronic Health Hazard: Yes Fire: No Reactivity/Physical hazard: No Pressure: No
CERCLA Reportable Quantity	: 250 lbs Based on the percentage composition of this chemical in the product.: Diuron
EPA Reg. No.	: 352-505 In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.
California Prop. 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.Quartz , Diuron
PA Right to Know Regulated Chemical(s)	: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Kaolin, Bromacil, Diuron, Sodium sulphate, Silica gel, precipitated, crystalline-free
NJ Right to Know Regulated Chemical(s)	: Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances
	10 / 11

