



PO BOX 16458 • FRESNO CA 93755

# MATERIAL SAFETY DATA SHEET

PRODUCT/TRADE NAME:

**IN-PLACE (New)**

## I. NAME

PRODUCT/TRADE NAME: IN-PLACE  
EPA REGISTRATION #: NONE  
CHEMICAL NAME/COMMON NAME:  
Petroleum distillate/Petroleum distillate  
Modified Vegetable Oil/Modified Vegetable Oil

## II. HAZARDOUS INGREDIENTS

	CAS#	OSHA PEL	ACGIH TLV
Petroleum distillate	1474-47-8	500 ppm	100 ppm.
Modified Vegetable Oil	67784-80-9	NE	NE

## III. PHYSICAL DATA

SPECIFIC GRAVITY (H<sub>2</sub>O = 1): .88  
MELTING POINT: NA  
VAPOR DENSITY (AIR = 1): NE  
% VOLATILES BY VOL.: NE  
ODOR: Mineral  
APPEARANCE: White Liquid  
FLASH POINT/METHOD: >200° F  
VAPOR PRESSURE (mmHg): <10 @ 25 Deg. C  
SOLUBILITY IN H<sub>2</sub>O: Emulsifiable

## IV. FIRE & EXPLOSION HAZARD

EXTINGUISHING MEDIA: ☐ Water Fog ☒ Foam ☐ Alcohol Foam  
☒ CO<sub>2</sub> ☒ Dry Chemical ☐ Other

### FIRE FIGHTING PRECAUTIONS & HAZARDS:

Fight fire upwind. Wear positive pressure self-contained breathing apparatus and full protective equipment. Do not breathe vapors and spray mist. Avoid fallout and runoff. Dike to prevent entering drains, sewers, or water courses. Evacuate people downwind from fire.

## V. CARCINOGEN STATUS

☐ OSHA ☐ NTP ☐ IARC ☒ No Listing Type

## VI. REACTIVITY

☒ Stable HAZARDOUS POLYMERIZATION  
☐ Unstable ☐ May Occur ☒ Will Not Occur  
AVOID: Oxidizers  
HAZARDOUS DECOMPOSITION PRODUCTS: CO<sub>x</sub>, SO<sub>x</sub>

## VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE OF SPILL: Wear appropriate respiratory and personal protective equipment. Absorb with inert material and place in approved disposal containers.

DECONTAMINATION: Treat spill area with detergent and water. Absorb with inert material and place in disposal containers. Repeat as necessary until area is clean.

ENVIRONMENTAL HAZARDS: Dike to prevent entering drains, sewers or water courses.

DISPOSAL: Dispose of in accordance with Federal, State and local regulations.

## VIII. HEALTH PRECAUTION DATA

INGESTION: Do not ingest. Wash thoroughly with soap and water prior to eating, drinking or smoking.

INHALATION: PEL/TLV 100 ppm. Vapors may cause narcotic reaction in high concentrations. Wear proper respiratory protection for equipment for exposures above the PEL/TLV.

SKIN ABSORPTION: May cause mild skin irritation with excessive exposure. Wear proper personal protection equipment to reduce exposure.

EYE EXPOSURE: Keep out of eyes. Wear proper eye protection to prevent splash exposure. If exposed, flush eyes for a minimum of 15 minutes with water.

EFFECTS OF OVEREXPOSURE: Severe overexposure will depress the central nervous system and produce a narcotic effect, headache and nausea. Ingestion may cause vomiting and diarrhea. Chronic exposure may effect kidney and liver. Preexisting conditions involving the above symptoms may be aggravated by exposure to this product.

FIRST AID: In all cases, get prompt medical attention. Do not induce vomiting. If ingested, give several glasses of water. For skin exposure, remove contaminated clothing and wash with soap and water. For eye exposure, irrigate for a minimum of 15 minutes with water. If swallowed, physician may give magnesium, chalk or whiting in water. If inhaled, remove victim to fresh air, and administer CPR if necessary.

## IX. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: None required for intended use. Use NIOSH/MSHA - approved respirator for organic vapors for exposures up to 10 times the PEL/TLV. Self-contained breathing apparatus should be used for confined space entry and exposures above 10 times the PEL/TLV.

PERSONAL PROTECTIVE EQUIPMENT: Nitrile or neoprene gloves, chemical goggles and long-sleeved coveralls.

VENTILATION: General ventilation should be sufficient for intended use. Local ventilation is recommended for manufacture and formulation operations.

## X. SPECIAL PRECAUTIONS

Keep out of the reach of children. Read and follow all label instructions. Do not store near open flame, sparks or other ignition sources.

## XI. REGULATORY DATA

SARA HAZARD CLASS: ☒ Acute ☐ Chronic ☐ Flammable  
☐ Pressure ☐ Reactive ☐ None

SARA 313: ☐ Yes ☒ No Chemical:

SARA 302: ☐ Yes ☒ No Chemical:

TPQ:

CERCLA: ☐ Yes ☒ No Chemical:

RQ:

RCRA: ☐ Yes ☒ No

NFPA HAZARD RATING:

Health: [1]

Fire: [1]

Reactivity: [0]

Special: [ ]

HMIS CODES:

Health: [1]

Fire: [1]

Reactivity: [0]

NFPA HAZARD RATING SCALE:

0 = Minimal 3 = Serious

1 = Slight 4 = Severe

2 = Moderate

HMIS HAZARD RATING SCALE:

0 = Minimal 3 = Serious

1 = Slight 4 = Severe

2 = Moderate

DATE PREPARED: November 1, 2000

REVISED DATE: March 5, 2007

Notice: This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

\*Technical Material NE - Not Established NA - Not Applicable

**24 Hour Emergency Phone Number**  
**CHEMTREC: (800) 424-9300**

