

## **INSPIRE SUPER®**

Date: 2/13/2015 Replaces: 3/25/2013

### 1. PRODUCT IDENTIFICATION

Product identifier on label: INSPIRE SUPER®

Product No.: A16001A Use: Fungicide

Manufacturer: Syngenta Crop Protection, LLC

Post Office Box 18300 Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

#### 2. HAZARDS IDENTIFICATION

Classifications: Eye Damage/Irritation: Category 2B

Signal Word (OSHA): Warning

Hazard Statements: Causes eye irritation

Hazard Symbols:

Precautionary Statements: Wash hands and face thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

Other Hazard Statements: None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
1,2-Propanediol	Propylene Glycol	57-55-6	Trade Secret
Other ingredients	Other ingredients	Trade Secret	67.5%
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	Difenoconazole	119446-68-3	8.4%
4-Cyclopropyl-6-methyl-N-phenylpyrimidiamine	Cyprodinil	121552-61-2	24.1%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.



## **INSPIRE SUPER®**

Date: 2/13/2015 Replaces: 3/25/2013

#### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.



## **INSPIRE SUPER®**

Date: 2/13/2015 Replaces: 3/25/2013

#### 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

#### FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

#### Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Propylene Glycol	Not Established	Not Established	10 mg/m³ TWA	AIHA
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Difenoconazole	Not Established	Not Established	5 mg/m³ TWA	Syngenta
Cyprodinil	Not Established	Not Established	7 mg/m³ TWA	Manufacturer

#### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

## Individual protection measures:

## Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

### Eye Contact:

Where eye contact is likely, use chemical splash goggles.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

#### Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off-white liquid

Odor: Musty

Odor Threshold: Not Available



## **INSPIRE SUPER®**

Date: 2/13/2015 Replaces: 3/25/2013

pH: 5.5 - 7.5 (as is)

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Available

Flammable Limits (% in Air): > 214°F

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Cyprodinil 3.8 x 10(-6) mmHg @ 77°F (25°C)

Difenoconazole 2.5 x 10(-10) mmHg @ 77°F (25°C)

Vapor Density: Not Available Relative Density: 1.01 - 1.03 g/ml

Solubility (ies): Cyprodinil 12 mg/l @ 68°F (20°C)

Difenoconazole 15 mg/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: 869°F

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: Not Available

Incompatible materials: None known.

Hazardous Decomposition Products: Not Available

## 11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation

Delayed, immediate and chronic effects of exposure: Eye irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Female Rat): 5000 mg/kg body weight

Dermal: Dermal (LD50 Rat): > 5000 mg/kg body weight

Eye Contact: Mildly Irritating (Rabbit)



## **INSPIRE SUPER®**

Date: 2/13/2015 Replaces: 3/25/2013

Skin Contact: Slightly Irritating (Rabbit)

Skin Sensitization: Not a Sensitizer (Guinea Pig)

#### Reproductive/Developmental Effects

Chronic/Subchronic Toxicity Studies

Cyprodinil: No teratogenic potential was detected in tests with rats and rabbits. No effects on the reproductive

performance of rats were detected. Difenoconazole: None observed.

Cyprodinil: Liver, kidneys and thryoid effects at high doses.

Difenoconazole: Kidney and liver effects at high doses (>5000 ppm; rats); Eye effects in dogs at high dose levels.

#### Carcinogenicity

Cyprodinil: Found to be not carcinogenic in studies with rats and mice. Designated as class E "not likely" for human carcinogenicity (1998 USEPA "Pesticide Fact Sheet").

Difenoconazole: Did not show carcinogenic effects in animal experiments.

NTP/IARC/OSHA Carcinogen
No
No
No
No

#### Other Toxicity Information

None

#### **Toxicity of Other Components**

Other ingredients

Not Applicable

## Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

## **Target Organs**

**Active Ingredients** 

Cyprodinil: Liver, kidney, thyroid

Difenoconazole: Brain, liver, kidney, gastrointestinal tract

**Inert Ingredients** 

Other ingredients: Not Applicable
Propylene Glycol: CNS, kidney, liver



## **INSPIRE SUPER®**

Date: 2/13/2015 Replaces: 3/25/2013

#### 12. ECOLOGICAL INFORMATION

#### **Eco-Acute Toxicity**

#### Difenoconazole:

Fish (Rainbow Trout) 96-hour LC50 1.1 mg/l

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.77 mg/l

Green Algae 72-hour EbC50 0.032 mg/

### Cyprodinil:

Fish (Bluegill Sunfish) 96-hour LC50 2.18 ppm

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 32 ppb

Bird (Mallard Duck) 14-day LD50 > 500 mg/kg

#### **Environmental Fate**

#### Cyprodinil:

The information presented here is for the active ingredient, cyprodinil.

Low bioaccumulation potential. Not persistent in soil or water. Low mobility in soil. Sinks in water (after 24 h).

#### Difenoconazole:

The information presented here is for the active ingredient, difenoconazole.

Stable in soil and water. Low to moderate mobility in soil. Sinks in water (after 24 h).

## 13. DISPOSAL CONSIDERATIONS

## Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable Listed Waste: Not Applicable

#### 14. TRANSPORT INFORMATION

## **DOT Classification**

Ground Transport - NAFTA

Not regulated

#### Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance Liquid, N.O.S. (Cyprodinil), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

## Air Transport

Proper Shipping Name: Environmentally Hazardous Substance Liquid, N.O.S. (Cyprodinil)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III



## **INSPIRE SUPER®**

Date: 2/13/2015 Replaces: 3/25/2013

#### 15. REGULATORY INFORMATION

### Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

EPA Registration Number(s):

100-1317

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

### **16. OTHER INFORMATION**

NFPA Hazard Ratings **HMIS Hazard Ratings** Health: Health: 1 1 2 Flammability: 1 Flammability: 1 3 Instability: 0 Reactivity: 0

Syngenta Hazard Category: B,S

0 Minimal
1 Slight
2 Moderate
3 Serious
4 Extreme
\* Chronic

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 1/15/2008

Revision Date: 2/13/2015 Replaces: 3/25/2013

Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.