



Material Safety Data Sheet

Dow AgroSciences LLC

Product Name: INTREPID - EDGE Insecticide

Issue Date: 02/22/2013

Print Date: 22 Feb 2013

Dow AgroSciences LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. Product and Company Identification

Product Name

INTREPID - EDGE Insecticide

COMPANY IDENTIFICATION

Dow AgroSciences LLC
A Subsidiary of The Dow Chemical Company
9330 Zionsville Road
Indianapolis, IN 46268-1189
United States

Customer Information Number:

800-992-5994

SDSQuestion@dow.com

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact:

800-992-5994

Local Emergency Contact:

352-323-3500

2. Hazards Identification

Emergency Overview

Color: White

Physical State: Liquid.

Odor: Musty

Hazards of product:

WARNING! May cause allergic skin reaction. May cause eye irritation. Isolate area.

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: May cause slight eye irritation. Corneal injury is unlikely.

Skin Contact: Brief contact is essentially nonirritating to skin. May cause drying and flaking of the skin.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Skin Sensitization: For the active ingredient(s): Spinetoram Has demonstrated the potential for contact allergy in mice.

Inhalation: No adverse effects are anticipated from single exposure to mist. Excessive exposure may cause irritation to upper respiratory tract (nose and throat).

Ingestion: Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

Aspiration hazard: Based on physical properties, not likely to be an aspiration hazard.

Effects of Repeated Exposure: For the active ingredient(s): May cause methemoglobinemia, thereby impairing the blood's ability to transport oxygen. In animals, effects have been reported on the following organs: Blood. Kidney. Liver. Thyroid. In animals, has been shown to cause vacuolization of cells in various tissues. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. For the minor component(s): In animals, effects have been reported on the following organs after exposure to aerosols: Lung.

3. Composition Information

Component	CAS #	Amount
Methoxyfenozide	161050-58-4	28.3 %
Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)	935545-74-7	5.66 %
Propylene glycol	57-55-6	7.0 %
Balance	Not available	59.04 %

4. First-aid measures

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

Skin Contact: Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.

Eye Contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Ingestion: No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

5. Fire Fighting Measures

Suitable extinguishing media

To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Nitrogen oxides. Carbon monoxide. Carbon dioxide.

Unusual Fire and Explosion Hazards: This material will not burn until the water has evaporated. Residue can burn.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

7. Handling and Storage

Handling

General Handling: Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Use with adequate ventilation. Spills of these organic materials on hot fibrous insulations may lead to lowering of the autoignition temperatures possibly resulting in spontaneous combustion. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Storage

Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

8. Exposure Controls / Personal Protection

Exposure Limits

Component	List	Type	Value
-----------	------	------	-------

Methoxyfenozide	Dow IHG	TWA	3 mg/m3
		Respirable fraction	
	Dow IHG	TWA	10 mg/m3
		Inhalable fraction	
Propylene glycol	WEEL	TWA	10 mg/m3
		Aerosol.	

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Personal Protection

Eye/Face Protection: Use safety glasses (with side shields).

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Engineering Controls

Ventilation: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

9. Physical and Chemical Properties

Appearance

Physical State

Liquid.

Color

White

Odor

Musty

pH

8.16 *pH Electrode*

Melting Point

Not applicable

Freezing Point

No test data available

Boiling Point (760 mmHg)

No test data available.

Flash Point - Closed Cup

> 100 °C (> 212 °F) *Pensky-Martens Closed Cup ASTM D 93*

Flammable Limits In Air

Lower: No test data available

Upper: No test data available

Vapor Pressure

No test data available

Vapor Density (air = 1)

No test data available

Specific Gravity (H₂O = 1)

Solubility in water (by weight)

No test data available

Partition coefficient, n-octanol/water (log Pow)

No data available for this product. See Section 12 for individual component data.

Autoignition Temperature

No test data available

Decomposition Temperature	No test data available
Explosive properties	No
Oxidizing properties	No significant increase (>5C) in temperature.
Liquid Density	1.0733 g/ml @ 20 °C <i>Digital density meter</i>

10. Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Thermally stable at recommended temperatures and pressures.

Possibility of hazardous reactions

Polymerization will not occur.

Conditions to Avoid: Some components of this product can decompose at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems.

Incompatible Materials: Avoid contact with: Strong acids. Strong oxidizers.

Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

11. Toxicological Information

Acute Toxicity

Ingestion

As product: Single dose oral LD50 has not been determined.

Based on information for component(s): Estimated. LD50, rat > 5,000 mg/kg

Dermal

As product: The dermal LD50 has not been determined.

Based on information for component(s): Estimated. LD50, rat > 5,000 mg/kg

Inhalation

As product: The LC50 has not been determined.

Eye damage/eye irritation

May cause slight eye irritation. Corneal injury is unlikely.

Skin corrosion/irritation

Brief contact is essentially nonirritating to skin. May cause drying and flaking of the skin.

Sensitization

Skin

For the active ingredient(s): Spinetoram Has demonstrated the potential for contact allergy in mice.

Respiratory

No relevant data found.

Repeated Dose Toxicity

For the active ingredient(s): May cause methemoglobinemia, thereby impairing the blood's ability to transport oxygen. In animals, effects have been reported on the following organs: Blood. Kidney. Liver. Thyroid. In animals, has been shown to cause vacuolization of cells in various tissues. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. For the minor component(s): In animals, effects have been reported on the following organs after exposure to aerosols: Lung.

Chronic Toxicity and Carcinogenicity

For the active ingredient(s): Did not cause cancer in laboratory animals.

Developmental Toxicity

For the active ingredient(s): Did not cause birth defects or any other fetal effects in laboratory animals.

Reproductive Toxicity

For the active ingredient(s): In animal studies, did not interfere with reproduction.

Genetic Toxicology

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

12. Ecological Information

Toxicity

Based on information for component(s): Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested). As product: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Fish Acute & Prolonged Toxicity

For the active ingredient(s): Spinetoram LC50, *Lepomis macrochirus* (Bluegill sunfish), flow-through test, 96 h: 2.69 mg/l

For the active ingredient(s): Methoxyfenozide LC50, *Lepomis macrochirus* (Bluegill sunfish), 96 h: > 4.3 mg/l

Aquatic Invertebrate Acute Toxicity

For the active ingredient(s): Spinetoram EC50, *Daphnia magna* (Water flea), static test, 48 h, immobilization: 0.228 mg/l

For the active ingredient(s): Methoxyfenozide EC50, *Daphnia magna* (Water flea), 48 h, immobilization: 3.7 mg/l

Aquatic Plant Toxicity

For the active ingredient(s): Spinetoram ErC50, *Pseudokirchneriella subcapitata* (green algae), 72 h: 1.06 mg/l

For the active ingredient(s): Spinetoram ErC50, diatom *Navicula* sp., 72 h: 0.127 mg/l

For the active ingredient(s): Methoxyfenozide ErC50, *Pseudokirchneriella subcapitata* (green algae), Growth rate inhibition, 72 h: > 3.4 mg/l

Toxicity to Above Ground Organisms

As product: oral LD50, *Colinus virginianus* (Bobwhite quail): > 2000 mg/kg bodyweight.

Persistence and Degradability

Data for Component: **Methoxyfenozide**

Biodegradation rate may increase in soil and/or water with acclimation.

Stability in Water (1/2-life):

802 d; 25 °C; pH 7

Data for Component: **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)**

Material is expected to biodegrade only very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
0.1 - 9.1 %	28 d	OECD 301B Test	fail

Data for Component: **Propylene glycol**

Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
81 %	28 d	OECD 301F Test	pass
96 %	64 d	OECD 306 Test	Not applicable

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
1.28E-11 cm ³ /s	10 h	Estimated.

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
69.0 %	70.0 %	86.0 %	

Chemical Oxygen Demand: 1.53 mg/mg

Theoretical Oxygen Demand: 1.68 mg/mg

Bioaccumulative potentialData for Component: **Methoxyfenozide**

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 3.72 Shake flask (OECD 107 Test)

Bioconcentration Factor (BCF): 11.0; Fish; Measured

Data for Component: **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)**

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 4.49

Bioconcentration Factor (BCF): 348; Oncorhynchus mykiss (rainbow trout)

Data for Component: **Propylene glycol**

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient, n-octanol/water (log Pow): -1.07 Measured

Bioconcentration Factor (BCF): 0.09; Estimated.

Mobility in soilData for Component: **Methoxyfenozide**

Mobility in soil: Potential for mobility in soil is medium (Koc between 150 and 500).

Henry's Law Constant (H): < 1.64E-04 Pa*m3/mole.; 20 °C

Data for Component: **Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)**

Mobility in soil: Potential for mobility in soil is low (Koc between 500 and 2000).

Henry's Law Constant (H): 3.5E-03 Pa*m3/mole.

Data for Component: **Propylene glycol**

Mobility in soil: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient, soil organic carbon/water (Koc): < 1 Estimated.

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

13. Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. Transport Information**DOT Non-Bulk**

NOT REGULATED

DOT Bulk

NOT REGULATED

IMDG

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Technical Name: Spinetoram, Methoxyfenozide

Hazard Class: 9 **ID Number:** UN3082 **Packing Group:** PG III

EMS Number: F-A,S-F

Marine pollutant.: Yes

ICAO/IATA**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.**Technical Name:** Spinetoram, Methoxyfenozide**Hazard Class:** 9 **ID Number:** UN3082 **Packing Group:** PG III**Cargo Packing Instruction:** 964**Passenger Packing Instruction:** 964**Additional Information**

MARINE POLLUTANT

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. Regulatory Information**OSHA Hazard Communication Standard**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312**Immediate (Acute) Health Hazard** Yes**Delayed (Chronic) Health Hazard** Yes**Fire Hazard** No**Reactive Hazard** No**Sudden Release of Pressure Hazard** No**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313**

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

Component	CAS #	Amount
Propylene glycol	57-55-6	7.0%

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

Toxic Substances Control Act (TSCA)

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

16. Other Information

Hazard Rating System

NFPA

Health

1

Fire

1

Reactivity

0

Revision

Identification Number: 1064914 / 1016 / Issue Date 02/22/2013 / Version: 1.0

DAS Code: GF-3028

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

Dow AgroSciences LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.