

Revision Date: 06/16/2014

Print Date: 03/13/2015

LAUDIS® HERBICIDE

Version 3.0 / USA 102000017388

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product identifier

Trade name LAUDIS® HERBICIDE

Product code (UVP) 79112912

SDS Number 102000017388

EPA Registration No. 264-860

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer CropScience 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

United States

1-800-334-7577

Emergency Telephone

Number (24hr/ 7 days)

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation: Category 2B Acute toxicity (Oral): Category 4



Signal word: Warning

Hazard statements

Causes eye irritation. Harmful if swallowed.

Precautionary statements

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



LAUDIS® HERBICIDE

 Version 3.0 / USA
 Revision Date: 06/16/2014

 102000017388
 Print Date: 03/13/2015

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight	
Tembotrione	335104-84-2	34.50	
Isoxadifen-ethyl	163520-33-0	17.20	
1,2-Propanediol	57-55-6	5.00	

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.



LAUDIS® HERBICIDE

Version 3.0 / USA Revision Date: 06/16/2014 102000017388 Print Date: 03/13/2015

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable None known.

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for fire-fighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point > 93.4 °C

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Close containers and chicate thereughly.

for disposal. Clean contaminated floors and objects thoroughly,

observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow product to contact

non-target plants. Do not allow to enter soil, waterways or waste

water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE



LAUDIS® HERBICIDE

Version 3.0 / USA Revision Date: 06/16/2014 102000017388 Print Date: 03/13/2015

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and

local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove soiled clothing immediately and clean thoroughly before using

again. Wash thoroughly and put on clean clothing.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and

water. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tembotrione	335104-84-2	0.15 mg/m3 (TWA)		OES BCS*
Isoxadifen-ethyl	163520-33-0	1 mg/m3 (TWA)		OES BCS*
1,2-Propanediol (Vapor.)	57-55-6	1000ug/m3 (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	50ppb (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	500ppb (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	100ug/m3 (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m3 (TWA)	2010	WEEL

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment



LAUDIS® HERBICIDE

 Version 3.0 / USA
 Revision Date: 06/16/2014

 102000017388
 Print Date: 03/13/2015

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white to light yellow

Physical State suspension

Odor characteristic

Odour Threshold no data available

pH ca. 3.0 at 10 % (23 °C)

Vapor Pressureno data availableVapor Density (Air = 1)no data availableDensity1.22 g/cm³ at 20 °CEvapouration rateno data availableBoiling Pointno data availableMelting / Freezing Pointno data available

Water solubility no data available

Minimum Ignition Energy not applicable

Decomposition not applicable

temperature

Partition coefficient: n-

octanol/water

no data available

Viscosity 800 - 1,200 mPa.s at 20 °C

Flash point > 93.4 °C

Autoignition temperatureno data availableLower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

Other information Further safety related physical-chemical data are not known.



LAUDIS® HERBICIDE

Version 3.0 / USA Revision Date: 06/16/2014 Print Date: 03/13/2015

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition not applicable

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials no data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Eye contact, Skin contact

Immediate Effects

Eye Moderate eye irritation.

Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (female rat) 1,750 mg/kg

Acute inhalation toxicity LC50 (rat) > 2.1 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

LC50 (rat) > 8.4 mg/l Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Acute dermal toxicityLD50 (rat) > 5,000 mg/kgSkin irritationSlight irritation (rabbit)Eye irritationMild eye irritation. (rabbit)SensitisationNon-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Tembotrione did not cause specific target organ toxicity in experimental animal studies. Isoxadifen-ethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity



LAUDIS® HERBICIDE

Version 3.0 / USA
102000017388

Revision Date: 06/16/2014
Print Date: 03/13/2015

Tembotrione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Isoxadifen-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Tembotrione caused at high dose levels an increased incidence of tumours in rats in the following organ(s): cornea. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Isoxadifen-ethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Tembotrione did not cause reproductive toxicity in a two-generation study in rats. Isoxadifen-ethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Tembotrione caused developmental toxicity only at dose levels toxic to the dams. Tembotrione caused a delayed ossification of foetuses, an increased incidence of variations. The developmental effects seen with Tembotrione are related to maternal toxicity.

Isoxadifen-ethyl did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 5.41 mg/l

Exposure time: 96 h

Toxicity to aquatic EC50 (Water flea (Daphnia magna)) 33.5 mg/l

invertebrates Exposure time: 48 h

Toxicity to aquatic plants EC50 (Pseudokirchneriella subcapitata) 15.4 mg/l

Growth rate; Exposure time: 72 h

Biodegradability Not applicable for this mixture.

Biodegradability Isoxadifen-ethyl: ; not rapidly biodegradable

Bayer CropScience



LAUDIS® HERBICIDE

 Version 3.0 / USA
 Revision Date: 06/16/2014

 102000017388
 Print Date: 03/13/2015

Koc Isoxadifen-ethyl: Koc: 2512

Bioaccumulation Not applicable for this mixture.

Bioaccumulation Isoxadifen-ethyl: ; Does not bioaccumulate.

Mobility in soil Not applicable for this mixture.

Mobility in soil Isoxadifen-ethyl: Slightly mobile in soils

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product It is best to use all of the product in accordance with label directions. If it

is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines.

Never place unused product down any indoor or outdoor drain.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEMBOTRIONE, ISOXADIFEN-ETHYL SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES



9/10

LAUDIS® HERBICIDE

Version 3.0 / USA Revision Date: 06/16/2014 102000017388 Print Date: 03/13/2015

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEMBOTRIONE, ISOXADIFEN-ETHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEED KILLING, N.O.I. other than

poison, HAVING A DENSITY OF 20 LBS OR GREATER PER

CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-860

US Federal Regulations

TSCA list

Isoxadifen-ethyl 163520-33-0 1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Isoxadifen-ethyl 163520-33-0

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:



LAUDIS® HERBICIDE

102000017388

Version 3.0 / USA Revision Date: 06/16/2014 Print Date: 03/13/2015

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed.

Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Flammability - 1 Physical Hazard - 0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 06/16/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.