

MATERIAL SAFETY DATA SHEET

MALATHION 8 EC INSECTICIDE

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Malathion 8 EC Insecticide

Synonyms and Chemical name: Malathion; (O-O-dimethyl phosphorodithioate of diethyl mercaptosuccinate)

EPA Reg. No.: 34704-119

Company ID: Platte Chemical Company
P.O. Box 667
Greeley, CO 80632-0667

Phone #s: Emergency Phone Number: **CHEMTREC 1-800-424-9300**
Medical Emergency Phone Number: **1-800-228-5635 extension 136**

Revisions: New ANSI format, sections 1, 2, 8, 15 and 16

MSDS Number: 000119

Date: 03/21/03

Supersedes: 02/03/01

2. COMPOSITION INFORMATION ON INGREDIENTS

Chemical Ingredients:	CAS No.	Percent by Weight
Active Ingredient: Malathion	121-75-5	81.27%
Naphthalene	91-20-3	0.77%
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	7.02%
Inert Ingredients:		10.94%

This product is hazardous according to the OSHA Hazard Communication Standard (29 CFR 1910.1200)

3. HAZARDS IDENTIFICATION

Emergency Overview: Clear, light amber colored liquid with a mild mercaptan-like odor of moderate intensity.

Warning Statements:

NOTE TO PHYSICIAN: This product is an organophosphate (cholinesterase-inhibiting) insecticide.

Atropine is antidotal and should be given in multiple doses as necessary until the patient is atropinized. In severe cases 2-PAM may be given provided therapy begins within 24-hours of exposure. Monitor serum and RBC cholinesterase. Morphine, theophylline, aminophylline, phenothiazines, reserpine, furosemide, or ethacrynic acid are contraindicated in organophosphate poisonings.

Administer i.v. fluids cautiously if needed to correct dehydration.

Symptoms of cholinesterase inhibition can include headache, dizziness, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in the chest, nervousness, sweating, miosis, tearing, salivation, pulmonary edema, uncontrollable twitches, convulsions, coma, and loss of reflexes and sphincter control.

Potential Adverse Health Effects: Contains naphthalene, which has been determined to be a possible human carcinogen (Group 2B).

Eye Contact: May cause eye injury.

Skin Contact: Irritation may occur. The most likely route of entry is skin contact.

Ingestion: Contact a physician if material is ingested.

Inhalation: Contact a physician if material is inhaled and breathing is difficult.

4. FIRST AID MEASURES

If on Skin: Remove all contaminated clothing. Wash skin, hair and fingernails thoroughly with soap and water. If irritation persists seek medical attention. Wash clothing before reuse.

If Inhaled: Remove to fresh air. If breathing is difficult, please administer oxygen. If breathing stops administer artificial respiration. Get medical attention immediately.

If Swallowed: Drink 1 to 2 glasses of water. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician to get medical attention; the emergency telephone number is 1-800-228-5635 extension 136.

If in eyes: Flush with running water for at least 15 minutes while holding open eyelids to help flush out material. If irritation persists, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash Point (°F): 180°F / 82.2°C (TCC)

Boiling Point: > 300°F / 148.8°C

Flammable Limits: None established

Fire Extinguishing Media: Combustible material. Carbon dioxide, foam, dry chemical, water spray or fog.

Special Fire Fighting Procedures: Smoke and fumes from fire may contain hazardous components. Wear self-contained breathing apparatus and full protective clothing. Fight fire from upwind. Keep all non-essential personnel out of the immediate fire area, and out of any fall-out or run-off areas.

Unusual Fire or Explosion Hazards: If water is used to fight fire and cool the containers, contain run-off by diking to prevent contamination of water supplies. Containers in fire may burst or explode from excessive heat. Stay well back from the fire area. In a fire situation oxides of sulfur, phosphorus-containing compounds and other unknown hazardous materials may be formed. Incomplete combustion may lead to formation of carbon monoxide and other asphyxiants.

6. ACCIDENTAL RELEASE MEASURES

Release or Spill: Wear chemical safety glasses with side shields or chemical goggles, rubber gloves, rubber boots, long-sleeved shirt, long pants, head covering, and a NIOSH-approved pesticide respirator or air-supplied respirator.

For small spills, cover with an absorbent material such as pet litter. Sweep up and place in an approved chemical container. Wash the spill area with water containing a strong detergent, absorb with pet litter or other absorbent material, sweep up and place in a chemical container. Seal the container and handle in an approved manner. Flush the area with water to remove any residue. Do not allow wash water to contaminate water supplies.

For large spills, contain liquid by diking the area, keep product out of water supplies. If possible, use a pump to pick up liquid, then use absorbent material to absorb any residual liquid. Place both in a chemical container. Flush the area with a household bleach and water mixture (1:1) and then absorb the liquid as described in small spills.

7. HANDLING AND STORAGE

Store the material in a cool dry place away from children, feed and food products, seed and fertilizer. Do not contaminate other stored or the storage area by handling or storage of the product. Do not store beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco usage, and cosmetic application in areas where there is a potential for exposure to the material. Always wash thoroughly after handling.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal Protective Equipment:**

Eye Protection: Chemical goggles or shielded safety glasses.

Skin Protection: Wear protective clothing: long-sleeved shirts and pants, hat, rubber boots with socks. Wear rubber or chemical-resistant gloves.

Respiratory Protection: Not normally required. If vapors exceed acceptable levels, wear a MSHA/NIOSH approved pesticide respirator.

Ventilation: Not normally required. If vapors exceed the acceptable levels, wear MSHA/NIOSH approved respirator with cartridges for pesticide vapors.

	OSHA PEL 8 hr TWA	ACGIH TLV-TWA
Malathion	15 mg/m ³	10 mg/m ³
Naphthalene	50 mg/m ³	52 mg/m ³
Trimethylbenzene		25 ppm (123 mg/m ³)

EPA Handler Requirements WORKER PROTECTION STANDARD 40 CFR 170

Note, the following PPE requirements address handler/applicator requirements under FIFRA and may differ from what is felt necessary to address a clean up needs during formulation/manufacturing or other incidents with this product.

Personal protective Equipment: Applicators and other handlers must wear:

Long-sleeve shirt and long pants, chemical-resistant gloves (barrier laminate or viton) plus shoes and socks. Maintain the PPE accordingly to manufacturer instructions. If no instructions, use detergent and hot water. Keep and wash PPE separately from other domestic laundry.

User Safety Recommendations: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately, if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, light amber colored liquid **Odor:** Mild mercaptan-like odor of moderate intensity **Solubility:** Emulsifies in water

Specific gravity (water= 1): 1.180 g/ml **Bulk density:** 9.84 lbs/gal **pH:** 3.6 (5% v/v aqueous solution @ 25°C)

Vapor Pressure: 31.0 torr @ 25°C **Percent volatile (by volume):** not established

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions to Avoid: Excessive heat and ignition sources

Incompatibility with Other Materials: Strong oxidizers, acids, bases

Hazardous Decomposition Products: Oxides of sulfur, oxides of nitrogen, phosphorus containing compounds and other unknown hazardous materials may be formed in a fire situation. Incomplete combustion may lead to formation of carbon monoxide and/or other asphyxiates.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): 290 mg/kg **Acute Dermal LD₅₀ (rabbit):** 4100mg/kg **Acute Inhalation LC₅₀ (rabbit):** 84.6 mg/L
Eye Irritation: Moderate, can cause eye injury. **Skin Irritation:** Slight **Skin sensitizer:** Probable contact in guinea pigs
Chronic/Sub chronic Toxicity Studies: Cholinesterase inhibition **Target Organs:** Central Nervous System
Carcinogenic Potential: Naphthalene has been determined to be a possible human carcinogen (Class 2B) by IARC.

12. ECOLOGICAL INFORMATION

Malathion is biodegradable and undergoes rapid degradation in the environment. Toxic to fish and other aquatic organisms. Malathion is highly toxic to bees.

Bobwhite Quail	LD ₅₀ 400 mg/kg	LC ₅₀ 3497 ppm	Mallard ducks	LD ₅₀ 1485 ppm	LC ₅₀ > 5000ppm
Rainbow trout	LC ₅₀ 110 ppb	Bluegill sunfish	LC ₅₀ 120 ppb		

13. DISPOSAL CONSIDERATIONS

Check local, state and federal regulations prior to disposal.
 Plastic Jugs: Triple rinse (or equivalent), then offer for recycling at an ACRC site or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by local, state and federal regulations.

14. TRANSPORT INFORMATION

DOT Proper Shipping Description: Less than 30 gallons not regulated by DOT
For containers greater than 30 gallons
 Environmentally Hazardous Substance, Liquid, N.O.S., 9, UN3082, III (Malathion) RQ, ERG Guide 171
 U.S. Surface Freight Classification: Insecticides, insect repellents, NOI, other than poison (NMFC 102120, Class: 60)
Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

15. REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings:	NFPA		HMIS
	2 Health	0 Least	2 Health
	2 Flammability	1 Slight	2 Flammability
	0 Instability	2 Moderate	0 Reactivity
		3 High	HPPE
		4 Severe	

SARA Hazard Notification/Reporting
SARA Title III Hazard Category:

Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
Delayed	<u>Y</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Malathion (CAS: 121-75-5) 100 pounds (125 pounds of the formulation)
SARA, Title III, Section 313: Malathion (CAS: 121-75-5) 80%; Naphthalene (CAS: 91-20-3) 0.77% maximum; 1,2,4 Trimethylbenzene (CAS: 95-63-6) 0.13% maximum
RCRA Waste Code: Not listed
CA Proposition 65: This product contains Naphthalene (CAS: 91-20-3), a chemical known to the State of California to cause cancer

16. OTHER

Reasons for revision: New ANSI format, sections 1, 2, 8, 15 and 16
 Prepared by: Registrations and Regulatory Affairs

Reviewed by: Environmental/ Regulatory Services

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Platte Chemical Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving it will make their own determination as to its suitability for their purposes prior to use. **In no event will Platte Chemical Company be responsible for any damages of any nature including, without limitation, direct, special or consequential, resulting from the use, reliance upon, or the accuracy, completeness or furnishing of such Information.** NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.