

OMITE® 30WS

Version:		
Date of Issue:		

Date printed:

04/29/2008

04/30/2008

1.4

1. PRODUCT AND COMPANY	(IDENTIFICATION
Product name :	OMITE® 30WS EPA Reg. No.: 400-427
Chemical name:	Propargite
Use of substance/preparation:	Miticide
Supplier:	Chemtura Corporation 199 Benson Road Middlebury, CT 06749 USA
Emergency telephone number:	CHEMTREC (24 hours) 800-424-9300, 703-527-3887 Chemtura Corporation Emergency Response (24 hours) 800-292-5898
Environmental, Health and Safety Department: Prepared by	866-430-2775 Product Safety Department Date of Issue: 04/29/2008 (US) +1 866-430-2775 (EU) +44 (0) 1753.603.000 Email: MSDSRequest@chemtura.com
2. HAZARDS IDENTIFICATION	

EMERGENCY OVERVIEW DANGER! SUSPECT CANCER HAZARD. RISK OF SERIOUS DAMAGE TO EYES. MAY CAUSE SENSITIZATION BY SKIN CONTACT. AVOID DISPERSION OF DUST IN AIR TO REDUCE POTENTIAL FOR DUST IGNITION/EXPLOSIONS.

3. COMPOSITION / INFORMATION ON INGREDIENTS	
Ingredient	% BY WEIGHT
Propargite CAS# -	33.1
Kaolin CAS# 1332-58-7	<= 30
Diatomaceous earth CAS# Trade secret	<= 20
Amorphous silica CAS# Trade secret	<= 15



OMITE® 30WS

version:	1.4
Date of Issue:	04/29/200
Date printed:	04/30/200

08 04/30/2008

4. FIRST AID MEASURES

Swallowing

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Inhalation

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. Eye contact

Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

5. FIRE-FIGHTING MEASURES

Autoignition temperature:

Not available

NFPA CLASSIFICATION

Health: 2 Flammabil	ty: 3 Reactivity: 1	Special provisions:
---------------------	---------------------	---------------------

Hazardous combustion products

Oxides of sulfur.

Special fire fighting procedures

Do not discharge extinguishing waters into streams, rivers and lakes.

Special protective equipment for firefighters

Body covering protective clothing, full "turn-out" gear. Self-contained breathing apparatus.

Extinguishing media Suitable

:	Large fires:
	- alcohol-type foam or universal-type foams
	Small fires:
	- CO2
	- dry chemical
	- water spray

Unsuitable:

- water jets

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Evacuate unnecessary personnel., Avoid all contact with material., Wear suitable protective equipment.

Environmental precautions

Prevent from entering sewer system, surface water or soil.



OMITE® 30WS

version.		
Date of Issue:		

Date printed:

Vorcion

04/29/2008 04/30/2008

1.4

Methods for cleaning up

Sweep up and collect in a suitable container for disposal. Avoid dust formation. Observe government regulations.

7. HANDLING AND STORAGE

HANDLING

Handling precautions

Wear recommended personal protection equipment., Warn personnel about the dangers of the product., Keep container tightly closed., Avoid dispersion of dust to reduce fire and explosion potential.

Other precautions

NOTE TO END-USERS: The employee protection recommendations on this MSDS may differ from those on the product label. For normal use of this product, always refer to the personal protective equipment requirements on the product label.

STORAGE

Storage requirements Store in a cool, dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

Component	<u>Country</u>	Type	Value	Remark
Kaolin		ACGIH - respirable dust	2 mg/m3	8 hours
Diatomaceous earth	USA	TLV-TWA	0.05 mg/m3	Cristabolite - respirable fraction of dust for the substance listed
Diatomaceous earth	USA	TLV-TWA	0.1 mg/m3	Quartz - respirable fraction of dust for the substance listed
Diatomaceous earth	USA	TWA, ACGIH	10 mg/m3	
Diatomaceous earth	USA	TWA, OSHA	6 mg/m3	
Amorphous silica	Ireland	OEL	6 mg/m3	
Amorphous silica		ACGIH	10 mg/m3	
Amorphous silica		OSHA - total dust	15 mg/m3	

PERSONAL PROTECTION

Respiratory protection

In the absence of engineering controls sufficient to maintain airborne concentrations below recommended occupational exposure limit values, appropriate respiratory protection should be utilized., The determination of appropriate respiratory protection is best performed, on a case by case basis, taking into consideration the exposure conditions of the particular operation.

The respirator manufacturer should be consulted to ensure that the air-purifying cartridges utilized will provide adequate protection for the exposure conditions and



OMITE® 30WS

Version:	1.4
Date of Issue:	04/29/2008
Date printed:	04/30/2008

period of wear concerned.

For emergency conditions where the exposure limit may be greatly exceeded, use an approved positive-pressure self-contained breathing apparatus.

Hand protection / protective gloves Chemical resistant protective gloves

Eve protection Full face shield.

Skin protection Chemical resistant protective clothing.

Industrial hygiene measures

Before eating, drinking or smoking, wash hands and face thoroughly with soap and water.

ENGINEERING CONTROLS

<u>Ventilation</u> Provide local exhaust or process enclosure ventilation system.

9. PHYSICAL AND CHEMICAL PROPERTIES

Powder
Gray
Typical
Not available
Not available
Not available
Not available
405 kg/m3
Not available
Not applicable
Not applicable
Not available
Not available
Not available
Not available

10. STABILITY AND REACTIVITY

Stability: This product is stable under normal storage and handling conditions.



OMITE® 30WS

1.4 Version: Date of Issue: Date printed: 04/30/2008

04/29/2008

<u>Stability</u> - Conditions to avoid: Strong acids. Strong bases. Heat. Humidity.

Hazardous combustion products: Oxides of sulfur.

11. TOXICOLOGICAL INFORMATION

SWALLOWING Test results Acute toxicity:

LD50 Rat Result: > 5,200 mg/kg

LD50 - Rat

SKIN ABSORPTION Test results Acute toxicity:

INHALATION Test results Acute toxicity:

LC50 - Rat Result: > 4.4 mg/l Exposure time: 4 h

Species: Rabbit

Remark: Not irritant

Result: > 5,000 mg/kg

SKIN CONTACT Test results Skin irritation:

EYE CONTACT Test results Eye irritation:

Species: Rabbit Result: Corneal injury Classification: Risk of severe damage to eyes

SENSITIZATION Test results:

Species: - Guinea pigs Remark: sensitizing

MUTAGENICITY

Assessment: Negative

CARCINOGENICITY

Assessment: Carcinogen Cat. 3

TOXICITY TO REPRODUCTION/FERTILITY

AssessmentNegative

12. ECOLOGICAL INFORMATION

AQUATIC TOXICITY



OMITE® 30WS

Version: Date of Issue: Date printed:

04/29/2008 04/30/2008

1.4

Acute toxicity fish:	- LC50 - Result: 0.56 mg/l Exposure time: 96 h
<u>Aquatic toxicity to</u> plants:	- IC50 - Algae Result: > 1.08 mg/l Exposure time: 72 h
Acute toxicity to aquatic invertebrates:	- EC50 - Water flea (Daphnia magna) Result: 0.43 mg/l

Exposure time: 48 h

13. DISPOSAL CONSIDERATIONS

General: Dispose of in accordance with appropriate Federal, State, and local regulations., Do not discharge to sewers and natural waters.

14. TRANSPORT INFORMATION

DOT Classification

Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	(Propargite)
Class:	9	
UN ID #:	UN3077	
Packing group:	III	

Not regulated by ground or rail if shipped or transported in containers less than 33 lbs (15 kg).

IMDG Classification

Proper shipping name:	Environmentally hazardous substance, solid, n.o.s.
Class:	9
Subsidiary risk:	marine pollutant
UN ID #:	UN 3077
Packing group:	III
Technical description	(Propargite)

ICAO/IATA Classification

Proper shipping name:	Environmentally hazardous substance, solid, n.o.s.
Class:	9
UN ID #:	UN 3077
Packing group:	III
Technical description	(Propargite)

Technical description

Only regulated by air Into, Out of or Within the United States in containers 33 lbs (15 kg) or greater.

15. REGULATORY INFORMATION

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40CFR302.4. Components present in this product at a level which could require reporting under the statute are: Max weight % CAS# Chemical name



OMITE® 30WS			<u>Version:</u> Date of Issue:	1.4 04/29/2008
			Date printed:	04/30/2008
Propargite	RQ 10 lbs for Propargite	2312-35-8	<= 35.00	
Superfund Amendments and Reauthorization Act appear in 40CFR372 (for SARA 313). This inform Components present in this product at a level whic	ation must be included in M	SDS's that are copied a		nicals that
Chemical name	<u></u>	CAS#	Max weight %	
Propargite		2312-35-8	<= 35.00	
New Jersey Worker and Community Right-To-Kno	ow Act (Labeling Requireme	ents)		
Chemical name		CAS#	New Jersey TS Number	
Propargite		•		
Kaolin		1332-58-7		
Amorphous silica		Frade secret	CROM392	
Proprietary salt		Frade secret	CHEM475	
Dispersant		Frade secret	CROM400	
EPA Hazard Categories (SARA 311, 312):	Immediate Health Haz	ard, Delayed Health Haz	zard	
California Proposition 65				

Sulfurous acid, 2-(p-tert-butylphenoxy)cyclohexyl-2-propynyl ester

CHEMICAL INVENTORY

 United States:
 This product is subject to regulation under the US Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) and is therefore exempt from TSCA Inventory listing requirements.

16. OTHER INFORMATION

RECOMMENDED USES AND RESTRICTIONS: NOTE TO END-USERS: This MSDS is being provided to all interested persons in accordance with federal and state right-to-know laws. Precautionary Statements, First Aid Statements and Directions for Use of this product by end-users are contained on the product label and must be followed at all times.

Health: 2	Flammability: 3	Reactivity: 1	PPI: X			
STP	Standard temperature and pressure					
W/W	Weight/Weight 0 (HMIS)					
1 (HMIS)	Slight hazard					
2 (HMIS)	Moderate hazard					
3 (HMIS)	Serious hazard					
4 (HMIS)	Sever	Severe hazard				
X (HMIS)	Personal protection rating to be supplied by user depending on use conditions					

Copyright 2008 Chemtura Corporation

THE OPINIONS EXPRESSED HEREIN ARE THOSE OF QUALIFIED EXPERTS WITHIN CHEMTURA CORPORATION. WE BELIEVE THAT THE INFORMATION CONTAINED HEREIN IS CURRENT AS OF THE DATE OF THIS SAFETY DATA SHEET. SINCE THE USE OF THIS INFORMATION AND OF THESE OPINIONS AND THE CONDITIONS OF USE OF THIS PRODUCT ARE NOT WITHIN THE CONTROL OF CHEMTURA CORPORATION, IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCTS.