

MATERIAL SAFETY DATA SHEET

PAGE #: 1 OF 4

PRODUCT NAME: PHT Dryout

MSDS NUMBER:

PRODUCT CODE:

MSDS DATE: 08/15/2006

KEY NUMBER:

EMERGENCY PHONE #'s: CHEMTREC (800) 424-9300

Britz-Simplot Grower Solutions, LLC.

P.O. Box 60011

Fresno, CA 93794

Prepared by Tim Brown

HEALTH

2

Hazardous

FIRE

1

Will Not Burn

REACTIVITY

1

Stable

SPECIFIC

-

1. IDENTIFICATION

☐ See Addendum:

Ref. PAGE:

Chemical Name: NA

Chemical Family: Hydrated lime and Sulfur Mixture

CAS #: NA

Chemical Formula: Mixture

CAS Name: NA

Molecular Weight: NA

Synonyms / Common Name: Fungicide

DOT Information: Not Regulated

2. PHYSICAL DATA

☐ See Addendum:

Ref. PAGE:

Appearance: Yellowish Powder

Color: Yellowish

State: Dry

Odor Characteristics: Sulfur-like odor

pH: Not applicable

Viscosity: Not applicable

Specific Gravity (Water = 1): Not applicable

Vapor Density (Air = 1): Not applicable

Vapor Pressure: Not applicable

Melting Point: Not applicable

Boiling Point: Not applicable

Flash Point: Not applicable

Freezing Point: Not applicable

Percent Volatility: Not applicable

Evaporation Rate (BAC = 1): Not applicable

Solubility in Water: Virtually insoluble

Solubility in Oil: Not applicable

Solubility in Acetone: Not applicable

3. INGREDIENTS - HAZARDOUS

☐ See Addendum:

Ref. PAGE:

Material / Components	CAS #:	CAS Name	TLV Units	Approx. %
Sulfur	7704-34-9	Sulfur	None established	50
Hydrated Lime	1305-62-0	Calcium Hydroxide	None established	50

4. FIRE AND EXPLOSION HAZARD DATA

☐ See Addendum:

Ref. PAGE: 4

Flash Point: Not applicable

Flammable Limits in Air % by volume: Lower None established
Upper

Extinguishing Media: Dry chemical, CO2, Foam, Water Spray or Fog.

Special Fire Fighting Procedures: Smoke and fumes from fire may contain hazardous components. Use self-contained breathing apparatus and full protective clothing. Fight fire from upwind side. Avoid run-off.

Unusual Fire & Explosion Hazards: If water is used to fight fire or cool containers, contain run-off by diking to prevent contamination of water supplies. Dusts may form explosive mixtures with air; avoid use of heavy water streams.

PHT Dryout Dust

08/15/2005

10:27:00AM

Prepared by Tim Brown

MATERIAL SAFETY DATA SHEET PAGE #: 2 OF 4

PRODUCT NAME: PHT Dryout

MSDS NUMBER:

MSDS DATE: 08/15/2006

PRODUCT CODE:

KEY NUMBER:

5. HEALTH HAZARD DATA

☐ See Addendum:

PAGE #:

Threshold Limit Value:

Effects of Overexposure:

Inhalation: May be harmful if inhaled. Prolonged or repeated exposure may increase irritation.

Skin Contact: May cause skin irritation.

Eye Contact: Causes irreverssible eye damage. DO NOT get in eyes.

Ingestion: Overexposure can lead to nausea, diarrhea, gastrointestinal distress, headaches, weakness, and in severe cases possible liver and kidney damage.

Delayed Effects:

Medical Conditions Aggravated by Exposure None known. Preexisting skin or respiratory disorders may be aggravated by excessive exposure to this material.

6. FIRST AID MEASURES

☐ See Addendum:

PAGE #:

Inhalation: Remove to fresh air. If irritation persists, get medical attention.

Skin Contact: Remove all contaminated clothing. Wash skin and hair thoroughly with soap and water for 15 to 20 minutes. Wash clothing before reuse. If irritation persists, get medical attention.

Eye Contact: Flush with running water for at least 15 minutes while holding eyelids open. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eyes. Get medical attention immediately.

Ingestion: Harmful if swallowed. DO NOT induce vomiting. Call a physician immediately.

NOTES TO PHYSICIAN:

7. REACTIVITY DATA

☐ See Addendum:

PAGE #:

Stability: Stable

Incompatibility: Strong oxidizers, acids, ammonium salts, phoshorus, and some organic compounds.
(materials to avoid)

Hazardous Combustion or Decomposition Products Oxides of sulfur, and other unknown hazardous material may be formed in a fire situation.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Contact with nitroparaffins, maleic anhydride, or phosphorus

8. SPILL OR LEAK PROCEDURES

☐ See Addendum:

PAGE #:

Actions to take for Leaks & Spills Contain spill; vacuum or scoop and sweep up and place in container for disposal.

Waste Disposal Method: Material which cannot be used at the site should be disposed of in an approved waste disposal facility following all applicable Federal, State, and Local regulations.

PHT Dryout Dust

08/15/2005

10:27:00AM

Prepared by Tim Brown

MATERIAL SAFETY DATA SHEET PAGE #: 3 OF 4

PRODUCT NAME: PHT Dryout

MSDS NUMBER:

MSDS DATE: 08/15/2006

PRODUCT CODE:

KEY NUMBER:

9. SPECIAL PROTECTION INFORMATION

☐ See Addendum: Ref. PAGE:

Respiratory Protection: Wear MSHA/NIOSH-approved mask or respirator for protection against pesticide dusts.

Eye Protection: Wear tight fitting protective eyewear.

Skin Protection: Chemical-resistant gloves made of any waterproof material

Other Clothing: Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves, shoe plus socks and protective eyewear.

Other Equipment: Eye wash available

Engineering Controls: See Dryout label for further information

10. HANDLING AND STORAGE

☐ See Addendum: Ref. PAGE:

Special Precautions: Store in a cool dry place, away from children, food and feed products. Do not contaminate other stored products or the storage area by handling or storage of this product. Immediately clean up any spills which occur during handling and storage.

Other Precautions: Do not contaminate water supplies by handling or storage of product, cleaning of equipment or disposal of wastes. Keep work and storage areas clean. Toxic to fish and other aquatic organisms. Read and follow precautionary measures on product label.

11. REGULATORY INFORMATION

☐ See Addendum: Ref. PAGE:

Workplace Classification: Danger

12. TOXICOLOGICAL INFORMATION

☐ See Addendum: Ref. PAGE:

Acute Data: Oral toxicity (Rats) LD50> 5000 mg/kg

**Reproductive /
Teratology Data** Not known

13. ECOLOGICAL INFORMATION

☐ See Addendum: Ref. PAGE:

Fate in the Environment: Not known

14. DISPOSAL CONDITIONS

☐ See Addendum: Ref. PAGE:

Procedures: Dispose of unrecoverable material in accordance with Federal, State and Local regulations

15. TRANSPORTATION INFORMATION

☐ See Addendum: Ref. PAGE:

DOT Classification: Not regulated.

Warning Labels:

PHT Dryout Dust

08/15/2005

10:27:00AM

Prepared by Tim Brown

MATERIAL SAFETY DATA SHEET PAGE #: 4 OF 4

PRODUCT NAME: PHT Dryout

MSDS NUMBER:

MSDS DATE: 08/15/2006

PRODUCT CODE:

KEY NUMBER:

ADDENDUM for Section - 4. FIRE AND EXPLOSION HAZARD DATA - Ref. Pg. 1

Special Fire Fighting Procedures: Keep non-essential personnel away from immediate fire area and out of any fall-out or run off areas.

ADDENDUM for Section -

ADDENDUM for Section -