PRODUCT NAME: PHT Silglow MSDS NUMBER: MSDS DATE: 10/27/2006 EMERGENCY PHONE #'s: 0		24-9300	PRODUCT CODE KEY NUMBEF					
PHT Silglow			HEALTH	2	HazardousD<	н		
-	plot Grower Solutions	s, LLC.	FIRE	1	Flash Point:	Above 200	°F, 93°C	;
	60011, Fresno, CA 9	3794	REACTIVITY	0	Stable			
Prepared by Tir			SPECIFIC				<u> </u>	
1. IDENTIFICATION			□ See Addendur	<i>n:</i>	Ref. P	AGE:		
Chemical Name: Chemical Family: He CAS #: N/ CAS Name: N/ Synonyms / Common Name: Sil DOT Information: No	A A licone Surfactant				nula: Mixture ight: NA			
2. PHYSICAL DATA	-		See Addendur	m:	Ref. P	AGE:		
Appearance:					oint: Not deter			
Color: An	nber		E	Boiling P	oint: > 35C/95	F		
State: Lic					oint: 212F/100			
Odor Characteristics: No				-	oint: Not deter			
Viscosity: 30	ot determined.		Evaporation Ra		ility: Not deter			
Specific Gravity (Water = 1): 1.0			•	•	ater: Not deter			
Vapor Density (Air = 1): No				-	Oil: Not deter			
Vapor Pressure: No	ot determined.		Solubility	y in Acet	one: Not deter	mined.		
3. INGREDIENTS			□ See Addendur	m:	Ref. P	AGE:		
Material / Components		CAS #:	CAS Name		TLV I	Jnits	A	pprox. 9
-(3-Hydroxypropyl)-heptamethyltrisiloxan	e, 12	25997-17-3					>6	0 %
thoxylated acetate							45	400/
Polyethylene glycol monoallyl ether acetate Polyethylene glycol diacetate		7252-87-5 7252-83-1						- 40% 5%
		202 00 1					·	0,0
4. FIRE AND EXPLOSION HAZ	ARD DATA		□ See Addendur	m:	Ref. P	AGE: 4		
Flash Point: 212 F/100 C		Fla in A	ammable Limits Lower ir % by volume: Upper	Not d	etermined etermined	-		
Extinguishing Media: On large fires Water can be	use dry chemical, fo used to cool fire exp	am, or water spr	ay. On small fires use car			hemical or	water sp	oray.
Special Fire Fighting Self-contained			clothing should be worn ir	n fighting	large fires invol	ving chemic	cals. Use	e water
Procedures: spray to keep	fire exposed contain							

	implot Grower Solutions, LLC. ox 60011, Fresno, CA 93794	MATERIAL SAFE PRODUCT NAME: MSDS NUMBER: MSDS DATE: PRODUCT CODE: KEY NUMBER:	TY DATA SHEET PAGE #: PHT Silglow 10/27/2006	2 OF	4
5. HEALTH HAZARD DATA		See Addendum:	PAGE #:		
Threshold Limit Value: Effects of Overexposure:					
Inhalation:	Toxic by aerosol inhalation.				
Skin Contact:	No significant irritation expected from a	a single short-term exposure.			
Eye Contact:	Direct contact may cause severe irritat	ion.			
Ingestion:	Low ingestion hazard in normal use.				
Delayed Effects:	Repeated or prolonged exposure may	cause irritation on the skin.			
Medical Conditions Aggravated by Exposure	No known applicable information.				
6. FIRST AID MEASURES		□ See Addendum:	PAGE #:		
Inhalation:	Remove to fresh air. Get immediate m	edical attention.			
Skin Contact:	No first aid should be needed.				
Eye Contact:	Immediately flush with water for 15 mir	nutes. Get medical attention.			
Ingestion:	No first aid should be needed.				
NOTES TO PHYSICIAN:	Treat according to person's condition a	and specifics of exposure.			
7. REACTIVITY DATA		□ See Addendum:	PAGE #:		
Stability:	Stable.				
Incompatibility: (materials to avoid)	Oxidizing material can cause a reaction	n.			
Hazardous Combustion or Decomposition Products	Not determined.				
Hazardous Polymerization:	Hazardous polymerization will not occu	ır.			
Conditions to Avoid:	None.				
8. SPILL OR LEAK PROCED	URES	□ See Addendum:	PAGE #: 4		
Actions to take for Leaks & Spills	Determine whether to evacuate or isola protection equipment recommendation	ate the area according to your lo		all personal	
Waste Disposal Method:	Dispose of unrecoverable material in a	ccordance with Federal, State,a	nd Local regulations.		

	MATERIAL SAF	ETY DATA SHEET PAGE #: 3	OF 4
ilglow	PRODUCT NAME:	PHT Silglow	
implot Grower Solutions, LLC.	MSDS NUMBER:		
ox 60011, Fresno, CA 93794	MSDS DATE: 10	0/27/2006	
Tim Brown	PRODUCT CODE:		
	KEY NUMBER:		
FORMATION	See Addendum:	Ref. PAGE:	
		s provided or air sampling data sho	w exposures
Use chemical worker's goggles.			
Washing at mealtime and end of shift i	s adequate.		
No special protection needed.			
Local and general ventilation is recom	mended.		
GE	□ See Addendum:	Ref. PAGE:	
Use with adequate ventilation. Avoid e	ye contact. Do not breath mist.	Keep container closed.	
Use reasonable care and store away f	rom oxidizing materials.		
	Soo Addondum:	Pof PACE:	
		Kei. PAGL.	
warning			
MATION	See Addendum:	Ref. PAGE:	
Oral toxicity L/D 50 > 2,000mg/kg			
Not Known			
	See Addendum:	Ref. PAGE:	
No specific information is availble.			
	□ See Addendum:	Ref. PAGE:	
			State or local
DRMATION	See Addendum:	Ref. PAGE:	
Not subject to DOT.			
	Simplot Grower Solutions, LLC. (a) 60011, Fresno, CA 93794 Tim Brown NFORMATION Use respiratory protection unless adection are within recommended exposure guides. Washing at mealtime and end of shift if No special protection needed. Local and general ventilation is recommended exposure and general ventilation. Avoid end to special protection needed. Use reasonable care and store away for the second stor	winplot Grower Solutions, LLC. MSDS NUMBER: ox 60011, Fresno, CA 93794 MSDS DATE: 10 Tim Brown PRODUCT CODE: KEY NUMBER: KEY NUMBER: Use respiratory protection unless adequate. Iocal exhaust ventilation is are within recommended exposure guidelines. Use chemical worker's goggles. Washing at mealtime and end of shift is adequate. No special protection needed. See Addendum: Local and general ventilation is recommended. GE See Addendum: Use reasonable care and store away from oxidizing materials. Varning Carlon See Addendum: Warning MATION See Addendum: Oral toxicity L/D 50 > 2,000mg/kg No specific information is availble. When a decision is made to discard this material, as received, is it clas laws may impose additional regulatory requirements regarding disposed ORMATION See Addendum:	Minipole Grower Solutions, LLC. ox 60011, Fresno, CA 93794 Tim Brown See Addendum: Ref. PAGE: VFORMATION See Addendum: Ref. PAGE: Use respiratory protection unless adequate local exhaust ventilation is provided or air sampling data sho are within recommended exposure guidelines. Use chemical worker's goggles. Washing at mealtime and end of shift is adequate. No special protection needed. Local and general ventilation is recommended. GE See Addendum: Ref. PAGE: Use reasonable care and store away from oxidizing materials. ATION See Addendum: Ref. PAGE: Oral toxicity L/D 50 > 2,000mg/kg Not Known TION See Addendum: Ref. PAGE: When a decision is made to discard this material, as received, is it classified as a hazardous waste? No. 3 laws may impose additional regulatory requirements regarding disposal. ORMATION See Addendum: Ref. PAGE:

PHT Silglow PRODUCT NAME: PHT Silglow Britz-Simplot Grower Solutions, LLC. P.O. Box 60011, Fresno, CA 93794 Prepared by Tim Brown MSDS DATE: 10/27/2006 PRODUCT CODE: KEY NUMBER: ADDENDUM for Section - A. FIRE AND EXPLOSION HAZARD DATA - Ref. Pg. 1 Ire Fighting Measures continued: Determine the need to evacuate or isolate the area according to your local emergency plan. ADDENDUM for Section - A. FIRE AND EXPLOSION HAZARD DATA - Ref. Pg. 1 Ire Fighting Measures continued: Determine the need to evacuate or isolate the area according to your local emergency plan.	Britz-Simplot Grower Solutions, LLC. P.O. Box 60011, Fresno, CA 93794		PHT Silglow		
P.O. Box 60011, Fresno, CA 93794 MSDS DATE: 10/27/2006 Prepared by Tim Brown PRODUCT CODE: KEY NUMBER: Ref Not Section - 1. FIRE AND EXPLOSION HAZARD DATA - Ref. Pg. 1 Ire Fighting Measures continued: Determine the need to evacuate or isolate the area according to your local emergency plan.	P.O. Box 60011, Fresno, CA 93794	MSDS NUMBER:			
Prepared by Tim Brown PRODUCT CODE: KEY NUMBER: ADDENDUM for Section - A. FIRE AND EXPLOSION HAZARD DATA - Ref. Pg. 1 Ire Fighting Measures continued: Determine the need to evacuate or isolate the area according to your local emergency plan.					
KEY NUMBER: ADDENDUM for Section - 4. FIRE AND EXPLOSION HAZARD DATA - Ref. Pg. 1 ire Fighting Measures continued: Determine the need to evacuate or isolate the area according to your local emergency plan.		MSDS DATE:	10/27/2006		
ADDENDUM for Section - 4. FIRE AND EXPLOSION HAZARD DATA - Ref. Pg. 1 ire Fighting Measures continued: Determine the need to evacuate or isolate the area according to your local emergency plan.	Prepared by Tim Brown	PRODUCT CODE:			
ire Fighting Measures continued: Determine the need to evacuate or isolate the area according to your local emergency plan.		KEY NUMBER:			
ire Fighting Measures continued: Determine the need to evacuate or isolate the area according to your local emergency plan.	ADDENDUM for Section - 4. FIRE AND EXPLOSION	HAZARD DATA - Re	ef. Pg. 1		
ADDENDUM for Section -					
DDENDUM for Section -					
	ADDENDUM for Section -				

ADDENDUM for Section -