

Revision date: 2010/02/11 Page: 1/9
Version: 1.0 (30277930/SDS CPA US/EN)

# 1. Product and Company Identification

Company
BASF CORPORATION
100 Campus Drive
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP

Substance number: 000000097988

Molecular formula: C18 H12 Cl2 N2 O; C19 H18 Cl N3 O4 Chemical family: strobilurine, carboxylic acid amide

Synonyms: pyraclostrobin + boscalid

# 2. Hazards Identification

# **Emergency overview**

**CAUTION:** 

Causes eye irritation.
HARMFUL IF SWALLOWED.
HARMFUL IF ABSORBED THROUGH SKIN.
KEEP OUT OF REACH OF CHILDREN.
KEEP OUT OF REACH OF DOMESTIC ANIMALS.
Avoid contact with the skin, eyes and clothing.

See Product Label for additional precautionary statements.

State of matter: solid Colour: brown Odour: almost odourless

# Potential health effects

### Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

# Acute toxicity:

Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

### Irritation / corrosion:

May cause slight irritation to the skin. May cause moderate but temporary irritation to the eyes.

# Sensitization:

Skin sensitizing effects were not observed in animal studies.

# Medical conditions aggravated by overexposure:

Revision date : 2010/02/11 Page: 2/9
Version: 1.0 (30277930/SDS\_CPA\_US/EN)

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

#### Potential environmental effects

#### Aquatic toxicity:

Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

#### **Terrestrial toxicity:**

With high probability not acutely harmful to terrestrial organisms.

#### Degradation / environmental fate:

Not readily biodegradable (by OECD criteria).

# 3. Composition / Information on Ingredients

Content (W/W)	Chemical name
< 13.0 %	pyraclostrobin
< 26.0 %	Boscalid
< 4.5 %	Kaolin
< 0.5 %	Silicon dioxide
< 55.0 %	Proprietary ingredients
	< 13.0 % < 26.0 % < 4.5 % < 0.5 %

# 4. First-Aid Measures

#### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

# If inhaled:

Remove the affected individual into fresh air and keep the person calm.

### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

# If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

#### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

#### Note to physician

Antidote: No known specific antidote. Treatment: Treat symptomatically.

# 5. Fire-Fighting Measures

Flash point: not applicable Autoignition: not applicable

Flammability: not highly (Directive 84/449/EEC, A.10)

flammable

Self-ignition temperature: 328 °C (Directive 92/69/EEC, A.16)

Revision date : 2010/02/11 Page: 3/9
Version: 1.0 (30277930/SDS\_CPA\_US/EN)

# Suitable extinguishing media:

foam, dry extinguishing media, carbon dioxide, water spray

### Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons,

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

### Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

### 6. Accidental release measures

#### Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

#### **Environmental precautions:**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

#### Cleanup:

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

# Handling

# General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

# Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Revision date: 2010/02/11 Page: 4/9
Version: 1.0 (30277930/SDS\_CPA\_US/EN)

# **Storage**

#### General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

#### Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

# Temperature tolerance

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# 8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

# Components with workplace control parameters

Kaolin OSHA PEL 5 mg/m3 Respirable fraction; PEL 15 mg/m3

Total dust ;

ACGIH TWA value 2 mg/m3 Respirable fraction;

The value is for particulate matter containing no asbestos

and <1% crystalline silica.

Silicon dioxide OSHA TWA value 20 millions of particles per cubic foot of air ;

TWA value 0.8 mg/m3;

The value is calculated from a specified equation using a value of 100%. Lower values of % will give higher exposure limits. See regulation for specific equation.

#### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

# Personal protective equipment

# RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

# Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Revision date : 2010/02/11 Page: 5/9
Version: 1.0 (30277930/SDS\_CPA\_US/EN)

# General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: granules, extrudates
Odour: almost odourless

Colour: brown pH value: 7.0

melting range: approx. 50 °C

Boiling point: not applicable, The substance / product

decomposes therefore not determined.

(1 %(m), 20 °C) (as suspension)

Vapour pressure: negligible

Density: 1.509 g/cm3 (20 °C) (OECD Guideline 109)

Bulk density: approx. 600 kg/m3

Viscosity, dynamic: not applicable Solubility in water: dispersible

# 10. Stability and Reactivity

# **Dust explosion class:**

Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1) (St 1)

# Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

### **Hazardous reactions:**

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

# **Decomposition products:**

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

### Thermal decomposition:

172 °C

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

#### Corrosion to metals:

Corrosive effects to metal are not anticipated.

# Oxidizing properties:

not fire-propagating (Directive 92/69/EEC, A.17)

Not an oxidizer.

Revision date: 2010/02/11 Page: 6/9

 Version: 1.0
 (30277930/SDS\_CPA\_US/EN)

# 11. Toxicological information

#### **Acute toxicity**

Oral:

Type of value: LD50

Species: rat

Value: approx. 1,490 mg/kg

Inhalation:

Type of value: LC50 Species: rat (male/female) Value: > 5.4 mg/l Exposure time: 4 h

Dermal:

Type of value: LD50 Species: rat

Value: > 2,000 mg/kg

### Irritation / corrosion:

Eye:

Species: rabbit

Result: moderately irritating

Sensitization:

modified Buehler test Species: guinea pig Result: Non-sensitizing.

# **Genetic toxicity**

Information on: pyraclostrobin

No mutagenic effect was found in various tests with microorganisms and mammalian cell culture.

Information on: Boscalid

No mutagenic effect was found in various tests with microorganisms and mammals.

-----

# Carcinogenicity

Information on: pyraclostrobin

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not

observed.

Information on: Boscalid

In long-term studies in rats the substance induced thyroid tumors.

-----

#### Reproductive toxicity

Information on: pyraclostrobin

The results of animal studies gave no indication of a fertility impairing effect.

Information on: Boscalid

The results of animal studies gave no indication of a fertility impairing effect.

.... rocano or arminar ota

# **Development:**

Information on: pyraclostrobin

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Boscalid

Revision date: 2010/02/11 Page: 7/9 Version: 1.0 (30277930/SDS\_CPA\_US/EN)

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

\_\_\_\_\_

# 12. Ecological Information

### Fish

Acute:

OECD Guideline 203 Oncorhynchus mykiss/LC50 (96 h): 0.042 mg/l

### **Aquatic invertebrates**

Acute

OECD Guideline 202, part 1 Daphnia magna/EC50 (48 h): 0.08 mg/l

### **Aquatic plants**

Toxicity to aquatic plants:

OECD Guideline 201 green algae/EC50 (72 h): 4.99 mg/l

#### **Non-Mammals**

Information on: pyraclostrobin Other terrestrial non-mammals: bobwhite quail/LD50: > 2,000 mg/kg

bobwhite quail:

mallard duck/LC50: > 5,000 ppm Honey bee/LD50: > 100 ug/bee

Information on: Boscalid
Other terrestrial non-mammals:
bobwhite quail/LD50: > 2,000 mg/kg
bobwhite quail/LC50: > 5,000 ppm
mallard duck/LC50: > 5,000 ppm
Honey bee/LD50: > 200 ug/bee

-----

# Other adverse effects:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

# 13. Disposal considerations

# Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

### RCRA:

This product is not regulated by RCRA.

Revision date: 2010/02/11 Page: 8/9
Version: 1.0 (30277930/SDS CPA US/EN)

# 14. Transport Information

Reference Bill of Lading

# 15. Regulatory Information

# **Federal Regulations**

Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

OSHA hazard category: Chronic target organ effects reported; OSHA PEL established; ACGIH TLV

established

EPCRA 311/312 (Hazard categories): Acute; Chronic

# State regulations

State RTKCAS NumberChemical nameMA, PA1332-58-7Kaolin

MA, NJ, PA 7631-86-9 Silicon dioxide

# **CA Prop. 65:**

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

### 16. Other Information

# Refer to product label for EPA registration number.

Recommended use: fungicide

BASF supports worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

# **Local Contact Information**

Product Stewardship 919 547-2000

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR

Revision date: 2010/02/11 Page: 9/9
Version: 1.0 (30277930/SDS\_CPA\_US/EN)

PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

**END OF DATA SHEET**