

**Material Safety Data Sheet**  
**SCALA™ BRAND SC FUNGICIDE**

MSDS Number: 102000011440

MSDS Version 2.0

Revision Date: 09/15/2008

**SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION**

**Product Name** SCALA™ BRAND SC FUNGICIDE  
**MSDS Number** 102000011440  
**EPA Registration No.** 264-788

Bayer CropScience  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)  
For Product Information call: 1-866-99BAYER (1-866-992-2937)

**SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Pyrimethanil	53112-28-0	54.60
1,2-Propanediol	57-55-6	7.50

**SECTION 3. HAZARDS IDENTIFICATION**

*NOTE: Please refer to Section 11 for detailed toxicological information.*

**Emergency Overview** Caution! Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

**Physical State** liquid suspension

**Odor** slight

**Appearance** off-white

**Routes of Exposure** Ingestion, Inhalation, Eye contact, Skin contact

**Immediate Effects**

**Eye** May cause slight irritation. Avoid contact with eyes.

**Skin** Avoid contact with skin and clothing.

**Ingestion** Harmful if swallowed. Do not take internally.

**Inhalation** Avoid breathing spray mist.

**Material Safety Data Sheet**  
**SCALA™ BRAND SC FUNGICIDE**MSDS Number: 102000011440  
MSDS Version 2.0**Chronic or Delayed  
Long-Term**

This product or its components may have target organ effects.

**SECTION 4. FIRST AID MEASURES**

<b>General</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Eye</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Skin</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Notes to Physician Treatment</b>	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

**SECTION 5. FIRE FIGHTING MEASURES**

<b>Flash point</b>	No flash point - Determination conducted up to the boiling point.
<b>Autoignition Temperature</b>	The product is not self-ignitable.
<b>Explosiveness</b>	Not explosive.
<b>Suitable Extinguishing Media</b>	Dry powder, Carbon dioxide (CO2), Foam, Water spray
<b>Fire Fighting Instructions</b>	<p>Fight fire from upwind position. Keep out of smoke. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.</p> <p>Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.</p>

**Material Safety Data Sheet**  
**SCALA™ BRAND SC FUNGICIDE**MSDS Number: 102000011440  
MSDS Version 2.0**SECTION 6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
<b>Methods for Cleaning Up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.
<b>Additional Advice</b>	Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

**SECTION 7. HANDLING AND STORAGE**

<b>Handling Procedures</b>	Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Handle and open container in a manner as to prevent spillage.
<b>Storing Procedures</b>	<p>Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.</p> <p>Keep away from food, drink and animal feedingstuffs.</p>
<b>Work/Hygienic Procedures</b>	<p>Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.</p> <p>Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.</p>

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>General Protection</b>	<p>Follow all label instructions. Train employees in safe use of the product.</p> <p>Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.</p>
<b>Eye/Face Protection</b>	Tightly fitting safety goggles
<b>Hand Protection</b>	Chemical-resistant gloves made of waterproof material such as neoprene, butyl rubber, barrier laminate or nitrile rubber.

**Material Safety Data Sheet**  
**SCALA™ BRAND SC FUNGICIDE**MSDS Number: 102000011440  
MSDS Version 2.0**Body Protection** Wear long-sleeved shirt and long pants and shoes plus socks.**Respiratory Protection** When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.**Exposure Limits**

Pyrimethanil	53112-28-0	OES BCS*		5.6 mg/m3
1,2-Propanediol	57-55-6	WEEL	TWA	10 mg/m3
		TX ESL	ST ESL	20 ug/m3
		TX ESL	ST ESL	500 ppm
		TX ESL	AN ESL	2 ug/m3
		TX ESL	AN ESL	50 ppm

---

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	off-white
<b>Physical State</b>	liquid suspension
<b>Odor</b>	slight
<b>Density</b>	1.10 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	dispersible
<b>Viscosity</b>	500 - 1,000 mPa.s

**SECTION 10. STABILITY AND REACTIVITY**

<b>Conditions to Avoid</b>	Freezing
<b>Incompatibility</b>	Organic materials
<b>Hazardous Reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the technical-grade active ingredient, pyrimethanil.

**Material Safety Data Sheet**  
**SCALA™ BRAND SC FUNGICIDE**MSDS Number: 102000011440  
MSDS Version 2.0

<b>Acute Oral Toxicity</b>	male rat: LD50: > 5,000 mg/kg  female rat: LD50: 4,505 mg/kg
<b>Acute Dermal Toxicity</b>	rat: LD50: > 5,000 mg/kg
<b>Acute Inhalation Toxicity</b>	rat: LC50: > 4.41 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths  rat: LC50: > 17.64 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
<b>Skin Irritation</b>	rabbit: No skin irritation.
<b>Eye Irritation</b>	rabbit: Minimally irritating.
<b>Sensitization</b>	guinea pig: Non-sensitizing.
<b>Chronic Toxicity</b>	Pyrimethanil caused liver, urinary bladder and/or thyroid (secondary effect) effects in chronic dietary studies in rats, mice and dogs.

**Assessment Carcinogenicity**

Pyrimethanil was not carcinogenic in a chronic feeding study in mice. In a chronic feeding study, high-dose rats had increased incidence of benign thyroid tumors, secondary to disruption of thyroid-pituitary homeostasis. EPA classified pyrimethanil as a Group C (possible human carcinogen) chemical based on this well-known, threshold-mediated, non-genotoxic mechanism of carcinogenesis. The Agency used a non-linear methodology approach for determining the Margin of Exposure (MOE) for the estimation of human cancer risk because doses below this threshold did not result in thyroid tumors. Therefore, EPA has a reasonable certainty that no harm will result from exposure to residues of pyrimethanil.

**ACGIH**

None.

**NTP**

None.

**IARC**

None.

**OSHA**

None.

**Reproductive &  
Developmental Toxicity**

REPRODUCTION: Pyrimethanil was not a reproductive toxicant in a two-generation study in rats.

DEVELOPMENTAL TOXICITY: Pyrimethanil was not a primary developmental toxicant in rats and rabbits. Developmental effects were observed but were

**Material Safety Data Sheet****SCALA™ BRAND SC FUNGICIDE**

MSDS Number: 102000011440

MSDS Version 2.0

considered secondary to maternal toxicity.

**Neurotoxicity**

Pyrimethanil was not neurotoxic in acute (oral gavage) and subchronic (diet) neurotoxicity screening studies in rats. Transient neurobehavioral effects were observed in the acute study with no correlating morphological changes in the neural tissues.

**Mutagenicity**

Pyrimethanil is not mutagenic or genotoxic based on in vitro and in vivo mutagenicity studies.

**SECTION 12. ECOLOGICAL INFORMATION****Environmental  
Precautions**

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.

**SECTION 13. DISPOSAL CONSIDERATIONS****General Disposal  
Guidance**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal**

Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

**SECTION 14. TRANSPORT INFORMATION****DOT CLASSIFICATION:**

Not regulated for Domestic Surface Transportation

**FREIGHT CLASSIFICATION:**

Insecticides or Fungicides N.O.I.; other than poison

**SECTION 15. REGULATORY INFORMATION**

**EPA Registration No.** 264-788

**US Federal Regulations****TSCA list**

1,2-Propanediol

57-55-6

**Material Safety Data Sheet****SCALA™ BRAND SC FUNGICIDE**

MSDS Number: 102000011440

MSDS Version 2.0

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

None.

**US States Regulatory Reporting****CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

1,2-Propanediol

57-55-6

MN, RI

**Canadian Regulations****Canadian Domestic Substance List**

1,2-Propanediol

57-55-6

**Environmental****CERCLA**

None.

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

None.

**SECTION 16. OTHER INFORMATION**

NFPA 704 (National Fire Protection Association):

Health - 0

Flammability - 1

Reactivity - 0

Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated due to new system and numbering scheme. Updated for general editorial purposes.

Revision Date: 09/15/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.