

Material Safety Data Sheet

Select Max™ Herbicide with Inside Technology™

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Select MaxTM Herbicide with Inside TechnologyTM

EPA REGISTRATION NUMBER: 59639-132 **PRODUCT CODE:** 86773 **VC NUMBER(S):** 1463 **SYNONYM(S):** None

MANUFACTURER/DISTRIBUTOR

VALENT U.S.A. CORPORATION P.O. Box 8025

1600 Riviera Avenue, Suite 200 Walnut Creek, CA 94596-8025 **EMERGENCY TELEPHONE NUMBERS**

HEALTH EMERGENCY OR SPILL (24 hr):

(800) 892-0099

TRANSPORTATION (24 hr.): CHEMTREC (800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

AGRICULTURAL PRODUCTS: (800) 682-5368

MSDS Location: The current MSDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION

- May cause moderate eye irritation
- May cause skin and respiratory irritation
- Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
- · Harmful if swallowed
- · Aspiration hazard, do not induce vomiting.
- · Avoid contact with eyes, skin and clothing
- Avoid breathing vapors or spray mist.
- Combustible.
- · Keep out of reach of children

POTENTIAL HEALTH EFFECTS

Acute Toxicity (Primary Routes of Exposure): None known

Acute Eye Contact: This product is a moderate eye irritant. Adverse health effects resulting from an exposure may include redness, swelling and pain which could last for an extended period of time.

Acute Skin Contact: This product can cause moderate skin irritation. The expected adverse health effects resulting from an exposure may include redness and swelling. This product is minimally toxic when absorbed through the skin. This product may cause allergic skin reactions. In sensitized individuals even small exposures can trigger allergic reactions. The expected adverse health effects may include itching, redness, swelling and blistering of the skin.

Acute Ingestion: This product is minimally toxic when ingested. Because of the low viscosity of this substance, it can directly enter the lungs if it is swallowed (this is called aspiration). This can occur during the act of swallowing or when vomiting the substance. Once in the lungs, the substance is very difficult to remove and can cause injury to the lungs and death.

Acute Inhalation: This product is minimally toxic when inhaled.

Chronic Toxicity (including cancer): Increased liver weights and anemia have been observed in animals exposed to Clethodim Technical. Clethodim Technical was not carcinogenic to animals.

Prolonged or repeated dermal exposures may cause drying, scaling and even blistering of the skin. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Symptoms include fatigue, concentration difficulties, anxiety, depression, rapid mood swings and short-term memory loss. The reports are not clear with regard to the types of solvents that may cause these symptoms, and there is controversy among scientists to whether the condition exists or is caused by this type of product. Since many other diseases cause some or all of these conditions, a doctor should be consulted if any appear. This product contains naphthalene which has been listed by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B).

Developmental Toxicity (birth defects): Clethodim Technical produced developmental toxicity only at maternally toxic dose levels. It is not expected to present a hazard under normal use conditions. There is limited evidence of fetal and maternal toxicity from exposure to naphthalene.

Reproductive Toxicity: No reproductive toxicity was observed in animals exposed to Clethodim Technical.

Signs and Symptoms of Systemic Effects: This product contains a solvent mixture. Solvents, when inhaled, can cause nasal and respiratory irritation and central nervous system effects including dizziness, weakness, fatigue, nausea, headache and possibly unconsciousness and even death. Ingestion of solvents can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of low viscosity solvents can cause chemical pneumonitis which can be fatal. Acute exposure to naphthalene by inhalation, ingestion, and dermal contact has been associated with hemolytic anemia, damage to the kidneys, cataracts, and, in infants, brain damage.

Potentially Aggravated Medical Conditions: Individuals with preexisting diseases of the liver, red blood cell or central nervous system may have increased susceptability to the toxicity of excessive exposures.

For complete discussion of the toxicology data from which this evaluation was made, refer to Section 11. For Ecotox/Environmental Information, refer to Section 12. For Regulatory Information, refer to Section 15.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight/ Percent	Purpose
Clethodim ((E)-2-[1-[[(3-chloro-2-propenyl)oxy]imino]propyl]-5-[2-	99129-21-2	12 - 14	-
(ethylthio)propyl]-3-hydroxy-2-2cyclohenen-1-one) *			
Others	No CAS#	39 - 42	Other Ingredients
Naphthalene	91-20-3	<5	Solvent
Total hydrocarbons	64742-94-5	45 - 48	Solvent

Other ingredients, which are maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling (800) 892-0099 at any time.

FIRST AID MEASURES

EMERGENCY NUMBER (800) 892-0099

MSDS NO.: 0232 **Emergency Telephone:** (800) 892-0099 03/17/2010

REVISION NUMBER: REVISION DATE:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-892-0099** for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

Ingestion of this product or subsequent vomiting can result in aspiration of light hydrocarbon liquid, which can cause pneumonitis. If ingested, probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

FLASH POINT: 162° F (72° C)

FLASH POINT METHOD: SetaFlash Closed Cup

FLAMMABLE LIMITS IN AIR - LOWER (%):

FLAMMABLE LIMITS IN AIR - UPPER (%):

No data available

No data available

NFPA RATING:

Health: 1
Flammability: 2
Reactivity: 0
Special: None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Liquid evaporates and forms vapor (fumes) which can catch fire and burn with explosive violence. Invisible vapor spreads easily and can be set on fire by many sources such as pilot lights, welding equipment, and electrical motors and switches. Fire hazard is greater as liquid temperature rises above 85 degrees F.

Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable EMERGENCY RESPONSE GUIDEBOOK NO.: Not applicable

CONTAINMENT: Avoid runoff into storm sewers and ditches which lead to waterways. Contain spilled liquids with dry sorbents.

CLEANUP: Clean up spill immediately. Absorb spill with inert material (such as dry sand or earth), then place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

CONTAINMENT: This material forms an emulsion in water. Stop or reduce contamination of any water. Isolate contaminated water.

CLEANUP: Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

DO NOT USE OR STORE near flame, sparks or hot surfaces. Use only in well ventilated area. Keep container closed.

DO NOT weld, heat or drill container. Replace cap or bung. Emptied container still contains hazardous or explosive vapor or liquid.

Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store in a cool, dry place, out of direct sunlight. DO NOT weld, heat or drill container. Replace cap or bung. Emptied container still contains hazardous or explosive vapor or liquid.

Do not store at temperatures below 32° F (0° C). If the product is exposed to temperatures below 32° F (0° C), thaw at room temperature to 50° F (10° C) or warmer and shake gently to unify the product.

STORAGE:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. Unless ventilation is adequate to keep airborne concentrations below recommended exposure standards, approved respiratory protection should be worn.

SKIN & HAND PROTECTION: Do not get on skin or clothing. Skin contact should be minimized by wearing protective clothing including coveralls worn over short-sleeved shirt and short pants, socks, chemical-resistant footwear and chemical-resistant gloves. Remove contaminated clothing. Discard clothing and other absorbent materials that may have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

EXPOSURE LIMITS

Chemical Name	ACGIH Exposure Limits	OSHA Exposure Limits	Manufacturer's Exposure Limits
Clethodim ((E)-2-[1-[[(3-chloro-2-propenyl)oxy]imino]propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-2cyclohenen-1-one) *	None	None	None
Others	None	None	None
Naphthalene	10 ppm TWA, 15 ppm STEL skin - potential for absorption	10 ppm TWA,15 ppm STEL 50 mg/m³ TWA, 75 mg/m³ STEL	None
Total hydrocarbons	100 mg/m³ TWA (17 ppm) TWA	None	None

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Liquid

COLOR: Clear amber
ODOR: Mild aromatic
FLASH POINT: 162° F (72° C)
FLASH POINT METHOD: SetaFlash Closed Cup

DENSITY: 7.69 lbs/gal (0.921 g/mL) @ 20° C

pH: 4.5 @ 25° C (1% emulsion)

VISCOSITY: 4.76 cP @ 20° C; 3.15 cP @ 40° C

SOLUBILITY: Emulsifiable in water.

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Unstable at extreme pH's, temperature and upon exposure

to UV light.

INCOMPATIBILITY: May react with strong oxidizing agents, such as chlorates,

nitrates, peroxides, etc.

OXIDATION/REDUCTION PROPERTIES: Not reactive with water, monoammonium phosphate, zinc,

and potassium permanganate.

Not expected to be explosive

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

EXPLODABILITY:

Oral Toxicity LD ₅₀ (rats)	> 5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD ₅₀ (rabbits)	> 5000 mg/kg	EPA Tox Category	IV
Inhalation Toxicity LC ₅₀ (rats)	4-hr LC ₅₀ > 2.11 mg/L	EPA Tox Category	IV
Eye Irritation (rabbits)	Moderately irritating	EPA Tox Category	Ш
Skin Irritation (rabbits)	Moderate skin irritation	EPA Tox Category	Ш

Skin Sensitization (guinea pigs)

Sensitizer

EPA Tox Category

Not applicable

CARCINOGEN CLASSIFICATION

TOXICITY OF CLETHODIM TECHNICAL

SUBCHRONIC: Compound-related effects, noted at high doses of Clethodim Technical in subchronic toxicity studies conducted in mice, rats, and dogs, were decreased body weights, increased liver size (increased liver weights and hypertrophy) and anemia (decreased hemoglobin, hematocrit, or erythrocyte counts).

CHRONIC/CARCINOGENICITY: In chronic studies with Clethodim Technical in the mouse, rat, and dog, similar effects as seen in subchronic have been noted. No treatment related increases in neoplasms were observed in any study.

DEVELOPMENTAL TOXICITY: Developmental toxicity in rats and rabbits was observed only at maternally toxic dose levels of Clethodim Technical.

REPRODUCTION: No reproductive toxicity was observed in a study with rats exposed to Clethodim Technical for two generations.

MUTAGENICITY: Clethodim Technical was negative in the following genotoxicity assays: microbial reverse mutation (Ames Assay), in vitro chromosome aberration assay in Chinese Hamster Ovary Cells, in vivo chromosome aberration assay in Rat Bone Marrow Cells and in vivo Unscheduled DNA Synthesis Assay. Clethodim Technical does not present a genetic hazard to intact animal systems.

TOXICITY OF OTHER INGREDIENTS:

This product contains a solvent. Solvents, when inhaled, can cause nasal and respiratory irritation and central nervous system effects including dizziness, weakness, fatigue, nausea, headache and possibly unconsciousness and even death. Ingestion of solvents can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Prolonged or repeated dermal exposures may cause drying, scaling and even blistering of the skin. Aspiration of low viscosity products can cause chemical pneumonitis which can be fatal. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Symptoms include fatigue, concentration difficulties, anxiety, depression, rapid mood swings and short-term memory loss. The reports are not clear with regard to the types of solvents that may cause these symptoms, and there is controversy amoung scientists to whether the condition exists or is caused by this type of product. Since many other diseases cause some or all of these conditions, a doctor should be consulted if any appear. Acute exposure to naphthalene by inhalation, ingestion, and dermal contact has been associated with hemolytic anemia, damage to the kidneys, cataracts, and, in infants, brain damage. There is limited evidence of fetal and maternal toxicity from exposure to naphthalene.

Chronic (long-term) exposure of workers and rodents to naphthalene has been reported to cause cataracts and damage to the retina. Lesions in the kidneys and thymus, signs of anemia, and reduced spleen weights have been observed in rats and mice chronically exposed via gavage. A National Toxicology Program (NTP) report states that lifetime inhalation exposure to naphthalene resulted in increases in tumors of the nose in rats. In another NTP study, lifetime inhalation exposure to naphthalene increased lung tumors in female mice. The relevance of the rodent findings to humans is unknown. Naphthalene has been listed by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B).

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

ECOLOGICAL INFORMATION 12.

AVIAN TOXICITY: The acute toxicity of Clethodim Technical to birds is very low:

> Bobwhite quail oral LD₅₀: greater than 2 g/kg; Bobwhite quail dietary LC₅₀: greater than 6000 ppm; Mallard duck dietary LC₅₀: greater than 6000 ppm.

No reproductive effects were observed in mallard ducks exposed to 1000 ppm of Clethodim Technical. In Bobwhite quail, a slight decrease in viability of embryos of eggs from females exposed to 1000 ppm was observed. A NOEL was established at

300 ppm for this study.

AQUATIC ORGANISM TOXICITY: Clethodim Technical is only slightly toxic to freshwater fish and practically nontoxic to

daphnia:

Rainbow Trout 96-hour $LC_{50} = 67 \text{ mg/l}$; Bluegill Sunfish 96-hour LC₅₀ = 120 mg/l;

Daphnia magna 48-hour LC₅₀: greater than 120 mg/l.

Emergency Telephone: (800) 892-0099 MSDS NO.: 0232 **REVISION NUMBER: REVISION DATE:** 03/17/2010

Clethodim Technical was found to be nontoxic to adult worker bees at the highest dose tested, 100 micrograms/bee.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose in accordance with applicable laws and regulations.

14. TRANSPORT INFORMATION

UN/NA NUMBER: Not applicable

DOT (ground) SHIPPING NAME:Compounds, weed killing, liquid, non-regulated

TECHNICAL NAME (hazardous material):

HAZARD CLASS:

PACKING GROUP:

Not applicable

Not applicable

DOT REPORTABLE QUANTITY (RQ): 277 gallons (Naphthalene RQ=100 lb)

REMARKS: Regulated when shipped in bulk (> 119 gal). (if bulk:

Combustible liquid, n.o.s., [contains Naphthalene], NA1993,

III, RQ)

EXEMPTION REQUIREMENT: 49 CFR 173.150

EMERGENCY RESPONSE GUIDEBOOK NO.:MARINE POLLUTANT:
Not applicable

15. REGULATORY INFORMATION

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS:

Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Total hydrocarbons

TSCA Inventory List - Listed

Naphthalene

TSCA Inventory List - *

Clean Water Act - Hazardous Substances Listed
Clean Water Act Section 307 Listed

SARA 313 Chemicals 0.1% de minimis concentration

CERCLA Reportable Quantity (RQ): 100 lb (45.4 kg)

Product Reportable Quantity (RQ): 277 gallons

SARA (311, 312):

Immediate Health: Yes Chronic Health: Yes Fire: Yes Sudden Pressure: No Reactivity: No

STATE REGULATIONS:

Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Clethodim ((E)-2-[1-[[(3-chloro-2-propenyl)oxy]imino]propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-2cyclohenen-1one) *

NJ Right To Know Listed

Naphthalene

California Proposition 65 carcinogen, initial date 4/19/02

California - Directors List of Present

Hazardous Substances

MA Right To Know Listed NJ Right To Know Listed PA Right To Know Listed RI Right To Know Listed MN Hazardous Substance Listed

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

OTHER INFORMATION

REASON FOR ISSUE: Updated bulk shipping information in Section 14.

MSDS NO.: 0232 **EPA REGISTRATION NUMBER:** 59639-132 **REVISION NUMBER:**

REVISION DATE: 03/17/2010

SUPERCEDES DATE: Sept 8, 2006

RESPONSIBLE PERSON(S): Valent U.S.A. Corporation, Corporate EH&S, (925) 256-2803

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products is regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling. All necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

Emergency Telephone: (800) 892-0099 MSDS NO.: 0232 **REVISION NUMBER: REVISION DATE:** 03/17/2010 6

The information in this MSDS is based on data available to us as of the revision date given herein, and believed to be correct. Contact Valent U.S.A. Corporaton to confirm if you have the most current MSDS.

Judgements as to the suitability of information herein for the individual's own use or purposes are necessarily the individual's own responsibility. Although reasonable care has been taken in the preparation of such information, Valent extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the individual's purposes or the consequences of its use.

2009 Valent U.S.A. Corporation

(800) 892-0099 MSDS NO.: 0232 **Emergency Telephone: REVISION DATE:** 03/17/2010